

HENDERSON WHEEL & WAREHOUSE SUPPLY

2007 CUSTOM WHEEL & ACCESSORY CATALOG

August 2007

Featuring:

Custom Wheel Applications

Pages 2 - 7

Alcoa Light Truck Wheels & Parts

Pages 8 - 37

Steel Custom Wheel Caps

Pages 38 - 40

Custom Wheel Nuts

Pages 41 - 42

Conversion Studs

Pages 43

Custom Wheel Part Numbers and Caps

Pages 44

Alcoa Chemicals

Pages 45



**CUSTOM WHEEL APPLICATIONS
WHITE SPOKE**

For caps, see Page 44.

For lug nuts, use acorn nuts on Page 41.

For maximum load ratings, see inside back cover.



BOLTCIRCLE	4-4"	5-4.5"	5-5"	5-5.5"	6-5.5"	8-6.5"
12" x 4" Trailer Use Only	23983	23969				
13" x 4.5" Trailer Use Only	80-3314T	80-3324T				
14" x 6" Trailer Use Only		80-4326T-E				
14" x 6" Automotive Use					80-4366	
15" x 6" Trailer Use Only		80-5326T-E			80-5366T-E	
15" x 7" Automotive Use		80-5327	80-5347	80-5357	80-5367	80-5387 (No Disc)
15" x 8" Automotive Use				80-5358		
16" x 6" Trailer Use Only						80-6386T-E
16" x 7" Automotive Use					80-6367	80-6387



**CUSTOM WHEEL APPLICATIONS
CHROME SPOKE**

For caps, see Page 44.

For lug nuts, use acorn nuts
on Page 41

For maximum load ratings,
see inside back cover.



BOLT CIRCLE	6-5.5"
15" x 6" Trailer Use Only	81-5366CT



CHROMEMOD

For caps, see Page 44.

For lug nuts, use acorn nuts on Page 41.

For maximum load ratings, see inside back cover.



BOLT CIRCLE	5-4.5"	6-5.5"	8-6.5"
13" x 4.5" Trailer Use Only	19-2410CT		
14" x 6" Trailer Use Only	19-3410CT		
15" x 6" Trailer Use Only	19-4410CT	19-6410CT	
16" x 6" Trailer Use Only			19-8486CT

**CUSTOM WHEEL APPLICATIONS
WHITEMOD**



For caps, see Page 44.

For lug nuts, use acorn nuts
on Page 41.

For maximum load ratings,
see inside back cover.

BOLT CIRCLE	4-4"	5-4 1/2"	5-5"	6-5 1/2"	8-6 1/2"
12" x 4" Trailer Use Only	44163	44165			
13" x 4.5" Trailer Use Only		91-3412			
14" x 6" Trailer Use Only		91-4612-E			
15" x 5" Trailer Use Only		91-5512-E	91-5550-E		
15" x 6" Trailer Use Only		91-5612-E	91-5650-E	91-5660-E	
16" x 6" Trailer Use Only				KH128700	91-7680-E



**CUSTOM WHEEL APPLICATIONS
BLACKDAYTONA**

For caps, see Page 44.

For lug nuts, use acorn nuts
on Page 41.

For maximum load ratings,
see inside back cover.



BOLT CIRCLE	5-4 1/2"	5-5 1/2"	6-5 1/2"
15" x 8" Automotive Use	5158012	5158055	5158060
15" x 10" Automotive Use	5150012	5150055	
16" x 8" Automotive Use			5168060



CUSTOM WHEEL APPLICATIONS ALUMINUMMOD

For lug nuts, use acorn nuts
on Page 41.



BOLT CIRCLE	5-4 1/2"	8-6 1/2"
14" x 6" Trailer Use Only (1900 lb. Load Maximum)	8846012	
15" x 7 " Trailer Use Only	8857012	
16" x 7" Trailer Use Only		8867080
Maximum Load	2150	3000
Center Caps	101 (Closed Cap)	111 (Closed Cap)



16" ALCOA LTS SINGLE WHEEL



The Alcoa 16" x 7" LTS single wheel is an excellent custom wheel. It will fit both Pickups and Trailers.

16 x 7 Wheel Specifications

PART NUMBER	BOLT CIRCLE	MAXIMUM LOAD	CENTER BORE	CLOSED CAP	OPEN CAP	LONG CAP	LUG NUTS & COVERS
167031	8 - 6 1/2" (Check fit before mounting)	3415	5.16"	003167***	008167***	002167*** (Closed Long Cap Below for Ford Rear)	See

*** Alcoa Aluminum cap. Closed caps have Alcoa medallion.

LUG NUTS AND LUG NUT COVERS FOR ALCOA LTS SINGLE WHEELS

PARTNUMBER	DESCRIPTION
000078	Chrome Lug Nut Cover
005716	7/16" Lug Nut
005120	1/2" Lug Nut
005916	9/16" Lug Nut
005012	M12 x 1.5 Lug Nut
005014	M14-1.5 Lug Nut

15" X 8" ALCOA MOD STYLE SINGLE WHEELS



The Alcoa 15" x 8" wheel fits several light truck applications. Please see the sizes below.

15 x 8 Wheel Specifications

PART NUMBER	BOLT CIRCLE	MAXIMUM LOAD	CENTER BORE
458401 (Special Order)	5 - 5 1/2"	2100	4.25"
458411 (Special Order)	6 - 5 1/2"	2100	4.25"
458421 (Special Order)	5 - 4 1/2"	1650	3.30"



16" ALCOA MOD STYLE CLASSIC SINGLE WHEELS



The Alcoa 16" mod style classic single wheel is an excellent custom wheel.

16" Wheel Specifications

SIZE	PART NUMBER	BOLT CIRCLE	MAXIMUM LOAD	CENTER BORE	CLOSED CAP	OPEN CAP	LONG CAP	LUG NUTS & COVERS
16 x 7 (Pickups & Trailers)	167041*	8 - 6 1/2"	3750	5.16"	003167***	008167***	002167*** (Closed Long Cap for Ford Rear)	See Below
16 x 8 (Special Order)	468401	5 - 5 1/2"	2100	4.25"				
16 x 8 (Special Order)	468411	6 - 5 1/2"	2100	4.25"				
16 x 8 (Special Order)	468421	5 - 4 1/2"	1650	3.30"				
16 x 8 (Hub Piloted Wheel - Special Order)	468451	5-135mm	2100	3.42"				
16 x 8 (Hub Piloted Wheel - Special Order)	468471	8-170mm	3450	4.93"				

*** Alcoa Aluminum cap. Closed caps have Alcoa medallion.

LUG NUTS AND LUG NUT COVERS FOR ALCOA MOD STYLE SINGLE WHEELS (Except Hub Piloted Wheel)

PARTNUMBER	DESCRIPTION
000078	Chrome Lug Nut Cover
005716	7/16" Lug Nut
005120	1/2" Lug Nut
005916	9/16" Lug Nut
005012	M12 x 1.5 Lug Nut
005014	M14-1.5 Lug Nut

17" X 8" ALCOA MOD STYLE CLASSIC SINGLE WHEELS



Alcoa now has a 17" x 8" mod style classic single wheel. It will fit both Pickups and Trailers.

17 x 8 Wheel Specifications

PART NUMBER	BOLT CIRCLE	MAXIMUM LOAD	CENTER BORE
478401 (Special Order)	5 - 5 1/2	2100	4.25"
478451 (Special Order)	5-135mm	2100	3.42"
478411 (Special Order)	6 - 5 1/2	2100	4.25"
478421 (Special Order)	5 - 4 1/2	1650	3.30"
478481 (Special Order)	8 - 6 1/2	3450	5.16"



17" LTS 8-SPOKE ALCOA TRUCK WHEEL



Originally designed exclusively for the Hummer® H2, the Alcoa LTS 8-spoke wheels are now available for your light truck.

17 x 8.5 Wheel Specifications

PART NUMBER	SIZE	BOLT CIRCLE	MAXIMUM LOAD
478681 (Special Order)	17" x 8.5"	8 - 6 1/2	2750

17.5" SINGLE TRAILER WHEEL



Brilliant shine. Strong as an ox. Actually, strong enough to carry a stable of horses. This wheel weighs only 30 pounds but has a 6,050 pound maximum load rating.

17.5" x 6.75" Wheel Specifications

PART NUMBER	SIZE	BOLT CIRCLE	MAXIMUM LOAD	CENTER BORE
661401 Hub Piloted (Special Order)	17.5" x 6.75"	8 - 6 1/2"	6050	4.77"
662401 Hub Piloted (Special Order)	17.5" x 6.75"	8 - 6 1/2"	6050	4.88"

LUG NUTS

PARTNUMBER	DESCRIPTION
039946	5/8" Swivel Lug Nut
000190	Chrome Lug Nut Cover



ALCOA MOD STYLE CLASSIC DUAL WHEELS

CHEVROLET & GMC DUAL WHEELS 2001-2006

8 Hole 6.5" Bolt Circle

4.60" Center Bore



16" x 6.5" 8-Hole flat face dual wheel. Designed to fit 2001-2006 Chevrolet and GMC 1-ton two wheel drive and four wheel drive trucks. Uses two-piece washered nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

235/16 tires will not work on this application. Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	360251	Outside (Front) Polish
16" Rear Wheel	360252	Inside (Rear) Polish
Lug Nut 14mm - 15	139698	Two Piece Washer Nut
Lug Nut Cover	000190	
*Closed Front Cap	003611	
Closed Rear Cap	003612	
*Open 4WD Caps Not Available		

ALCOA MOD STYLE CLASSIC DUAL WHEELS

CHEVROLET & GMC DUAL WHEELS 1988-2000

8 Hole 6.5" Bolt Circle

4.57" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit 1988 - 2000 Chevrolet and GMC 1-ton two wheel drive and four wheel drive trucks. Uses two-piece washered nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

235/16 tires will not work on this application. Check fit before mounting tire.

Description	Part No.	Other Information
16" Front Wheel (Special Order)	160231	Outside (Front) Polish
16" Rear Wheel (Special Order)	160232	Inside (Rear) Polish
Lug Nut 14mm-1.5	139698	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	Fits either lug nut listed above.
Closed Front Cap	003611*	
Closed Rear Cap	003612	

* Open 4WD caps not currently available.



ALCOA MOD STYLE CLASSIC DUAL WHEELS

DODGE DUAL WHEELS 1994-1999

Dodge Ram 3500 Trucks

Flat Face Wheel

8 Hole 6.5" Bolt Circle

4.77" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit 1994 - 1999 Dodge 1-ton two wheel drive and four wheel drive trucks. Uses Two-Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2440 pounds.

235/16 tires will not work on this application.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	160291	Outside (Front) Polish
16" Rear Wheel	160292	Inside (Rear) Polish
Lug Nut 9/16"	139987	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	001611	
Closed Rear Cap	001612	

ALCOA MOD STYLE CLASSIC DUAL WHEELS

FORD DUAL WHEELS 1984 - 1998

8 Hole 6.5" Bolt Circle

4.88" Center Bore



16" x 6" 8-Hole flat face dual wheel. These wheels fit Ford F350 1-ton 1984-1998 trucks. Uses Two-Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" 2WD Front Wheel except 235/16 Tire (84-98) (Special Order)	160241	Outside (Front) Polish
16" 2WD Rear Wheel except 235/16 Tire (84-98) (Special Order)	160242	Inside (Rear) Polish
16" 4WD Front Wheel (87 - 98) (Special Order)	160281	Outside (Front) Polish
16" 4WD Rear Wheel (87 - 98) (Special Order)	160282	Inside (Rear) Polish
Lug Nut 9/16"	139987	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	001611	
Closed Rear Cap	001612	



ALCOA MOD STYLE CLASSIC DUAL WHEELS

TWO WHEEL DRIVE FORD F-SUPER DUTY TRUCK 1987-1998

10 Hole 7.25" Bolt Circle

5.46" Center Bore



16" x 6" ten-hole flat face dual wheel. Designed to fit the two wheel drive 1987-1998 Ford F-Super Duty. Uses two-piece washered nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 3050 pounds.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel (Special Order)	160301	Outside (Front) Polish
16" Rear Wheel (Special Order)	160302	Inside (Rear) Polish
Lug Nut 9/16"	139987	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	011911	
Closed Rear Cap	011912	

ALCOA MOD STYLE CLASSIC DUAL WHEELS

FORD F450 2005-2006
10 Hole 225 mm Bolt Circle
6.70" Center Bore



19.5" x 6" ten-hole flat face dual wheel. Designed to fit the 2005-06 F450 (2WD & 4WD) Ford truck. Uses steel inner wheel on dual. Each wheel has a capacity of 3750 pounds.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
19.5" Front Wheel	763201	Outside (Front) Polish
19.5" Rear Wheel	763202	Inside (Rear) Polish
Front Hub Cover	QH1001F	
Rear Hub Cover	QH1001R	



ALCOA MOD STYLE CLASSIC DUAL WHEELS

FORD F450 & F550 TRUCK 2000-2004

8 Hole 225 mm Bolt Circle

6.70" Center Bore



19.5" x 6" eight-hole flat face dual wheel. Designed to fit the 2000-04 F450 and F550 Ford truck. Uses steel inner wheel on dual. Each wheel has a capacity of 3750 pounds.

Check fit before mounting tire.

Description	Part No.	Other Information
19.5" Front Wheel	763801	Outside (Front) Polish
19.5" Rear Wheel	763802	Inside (Rear) Polish
Lug Nuts		Use OEM Lug Nuts
Lug Nut Cover	PGCF896LNC	
Front Hub Cap	PGCF896FHC	
Rear Hub Cap	PGCF896RHC	

19.5 INCH WHEELS

GENERAL MOTORS WHEEL

19.5" x 6" Classic Wheel

10 on 7.25" Bolt Circle

5.25" Center Bore



Part No.	Other Information
761000	Machine Finish (Special Order) Capacity 2780 pounds
761001	Outside Polish (Special Order) Capacity 2780 pounds
761002	Inside Polish (Special Order) Capacity 2780 pounds



ALCOA SPOKE STYLE (LTS SERIES) DUAL WHEELS

CHEVROLET & GMC DUAL WHEELS 1988-2000

8 Hole 6.5" Bolt Circle

4.57" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit 1988-2000 Chevrolet / GMC-1 ton two wheel drive and four wheel drive trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2440 pounds.

235/16 tires will not work on this application.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel (Special Order)	160251	Outside (Front) Polish
16" Rear Wheel (Special Order)	160252	Inside (Rear) Polish
Lug Nut 14mm-1.5	139698	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	Fits either lug nut listed above.
Closed Front Cap	003611*	
Closed Rear Cap	003612	

* Open 4WD caps not currently available.

ALCOA HOT SHOT DUAL WHEELS

CHEVROLET AND GMC DUAL WHEELS 2001-2006

8 Hole 6.5" Bolt Circle

4.60" Center Bore



16" x 6.5" 8-Hole flat face dual wheel. Designed to fit 2001-06 Chevrolet/GMC 1 ton two wheel drive and four wheel drive trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

235/16 tires will not work on this application.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	163251	Outside (Front) Polish
16" Rear Wheel	163252	Inside (Rear) Polish
Lug Nut 14mm-1.5	139698	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	003611*	
Closed Rear Cap	003612	
*Open 4WD caps not currently available		



ALCOA HOT SHOT DUAL WHEELS

CHEVROLET AND GMC DUAL WHEELS 1988-2000

8 Hole 6.5" Bolt Circle

4.57" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit 1988 - 2000 Chevrolet/GMC 1 ton two wheel drive and four wheel drive trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

235/16 tires will not work on this application.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel (Special Order)	161251	Outside (Front) Polish
16" Rear Wheel (Special Order)	161252	Inside (Rear) Polish
Lug Nut 14mm-1.5	139698	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	003611*	
Closed Rear Cap	003612	
*Open 4WD caps not currently available		

ALCOA HOT SHOT DUAL WHEELS

DODGE DUAL WHEELS 2000-2004

Dodge Ram 3500 Trucks

Flat Face Wheel

8 Hole 6.5" Bolt Circle

4.77" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit Dodge Ram 3500 2000-04 1 ton trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	163291	Outside (Front) Polish
16" Rear Wheel	163292	Inside (Rear) Polish
Lug Nut 9/16"	139987	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	001611	
Closed Rear Cap	001612	



ALCOA HOT SHOT DUAL WHEELS

DODGE DUAL WHEELS 1994-1999

Dodge Ram 3500 Trucks

Flat Face Wheel

8 Hole 6.5" Bolt Circle

4.77" Center Bore

(Special Order)



16" x 6" 8-Hole flat face dual wheel. Designed to fit Dodge Ram 3500 1994-99 1 ton two wheel drive and four wheel drive trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

235/16 tires will not work on this application.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel (Special Order)	161291	Outside (Front) Polish
16" Rear Wheel (Special Order)	161292	Inside (Rear) Polish
Lug Nut 9/16"	139987	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	001611	
Closed Rear Cap	001612	

ALCOA HOT SHOT DUAL WHEELS

FORD DUAL WHEELS 1999 - 2004

8 Hole 170 mm Bolt Circle

4.93" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit Ford F350 1999 - 2004 two wheel drive and four wheel drive 1 ton trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	161281	Outside (Front) Polish
16" Rear Wheel	161282	Inside (Rear) Polish
2004-2003 Lug Nut	139698	M 14 x 1.5 Two Piece Washered Nut
1999-2002 Lug Nut	039913	M 14 x 2.0 Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Front Cap	004611	
Rear Cap	004612	



ALCOA HOT SHOT DUAL WHEELS

FORD DUAL WHEELS 1984 - 1998

**Two Wheel Drive
8 Hole 6.5" Bolt Circle
4.88" Center Bore**



16" x 6" 8-Hole flat face dual wheel. Designed to fit Ford F350 two wheel drive 1 ton vehicles manufactured from 1984 to 1998. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

235/16 tires will not work on this application.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel (Special Order)	161261	Outside (Front) Polish
16" Rear Wheel (Special Order)	161262	Inside (Rear) Polish
Lug Nut 9/16"	139987	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	001611	
Closed Rear Cap	001612	

ALCOA MAGNUM DUAL WHEELS

CHEVROLET AND GMC DUAL WHEELS 2001-2006

8 Hole 6.5" Bolt Circle

4.60" Center Bore



16" x 6.5" 8-Hole flat face dual wheel. Designed to fit 2001-06 Chevrolet/GMC 1 ton two wheel drive and four wheel drive trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

235/16 tires will not work on this application.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	363251	Outside (Front) Polish
16" Rear Wheel	363252	Inside (Rear) Polish
Lug Nut 14mm-1.5	139698	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	003611*	
Closed Rear Cap	003612	
*Open 4WD caps not currently available		



ALCOA MAGNUM DUAL WHEELS

DODGE DUAL WHEELS 2000-2004

Dodge Ram 3500 Trucks

Flat Face Wheel

8 Hole 6.5" Bolt Circle

4.77" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit Dodge Ram 3500 2000-04 1 ton trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

Check fit before mounting tire.

DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	363291	Outside (Front) Polish
16" Rear Wheel	363292	Inside (Rear) Polish
Lug Nut 9/16"	139987	Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Closed Front Cap	001611	
Closed Rear Cap	001612	

ALCOA MAGNUM DUAL WHEELS

FORD DUAL WHEELS 1999 - 2004

8 Hole 170 mm Bolt Circle

4.93" Center Bore



16" x 6" 8-Hole flat face dual wheel. Designed to fit Ford F350 1999 - 2004 two wheel drive and four wheel drive 1 ton trucks. Uses Two Piece Washered Nut. Uses steel inner wheel on dual.

Each wheel has a maximum load capacity of 2780 pounds.

Check fit before mounting tire.


DESCRIPTION	PART NO.	OTHER INFORMATION
16" Front Wheel	363281	Outside (Front) Polish
16" Rear Wheel	363282	Inside (Rear) Polish
2004-2003 Lug Nut	139698	M 14 x 1.5 Two Piece Washered Nut
2002-1999 Lug Nut	039913	M 14 x 2.0 Two Piece Washered Nut
Chrome Lug Nut Cover	000190	
Front Cap	004611	
Rear Cap	004612	



ALCOA CHEVROLET/GMC WHEELS

PRO SERIES

ADVENTURE SERIES



PROSERIES PARTNO.	ADVENTURESERIES PARTNO.	DESCRIPTION	BOLT CIRCLE	CAPACITY	CENTER BORE
179011CC	179111CC	17 x 9, Polish	6 x 5.5	2200	3.46"
209011CC	209111CC	20 x 9, Polish	6 x 5.5	2200	3.46"
179011CR	179111CR	17 x 9, Chrome	6 x 5.5	2200	3.46"
209011CR	209111CR	20 x 9, Chrome	6 x 5.5	2200	3.46"

MAKE	MODEL	YEAR
Cadillac	Escalade/ESV	04-06
Cadillac	EXT	04-06
Chevrolet	Avalanche	04-06
Chevrolet	Tahoe	04-06
Chevrolet	Suburban	04-06
GMC	Yukon/Yukon XL	04-06
GMC/Chevrolet	C/K 1500	99-07
GMC/Chevrolet	C/K 1500	99-07

ALCOA DODGE / CHRYSLER WHEELS

PRO SERIES

ADVENTURE SERIES



PRO SERIES PART NO.	ADVENTURE SERIES PART NO.	DESCRIPTION	BOLT CIRCLE	CAPACITY	CENTER BORE
179001CC	179101CC	17 x 9, Polish	5 x 5.5	2200	3.46"
209001CC	209101CC	20 x 9, Polish	5 x 5.5	2200	3.46"
179001CR	179101CR	17 x 9, Chrome	5 x 5.5	2200	3.46"
209001CR	209101CR	20 x 9, Chrome	5 x 5.5	2200	3.46"


MAKE	MODEL	YEAR
Dodge	Ram 1500	02-06
Dodge	Durango	04-06
Chrysler	Aspen	2007



ALCOA FORD / LINCOLN WHEELS

PRO SERIES

ADVENTURE SERIES



PROSERIES PARTNO.	ADVENTURESERIES PARTNO.	DESCRIPTION	BOLT CIRCLE	CAPACITY	CENTER BORE
179061CC	179161CC	17 x 9, Polish	6 x 135 mm	2200	3.46"
209061CC	209161CC	20 x 9, Polish	6 x 135 mm	2200	3.46"
179061CR	179161CR	17 x 9, Chrome	6 x 135 mm	2200	3.46"
209061CR	209161CR	20 x 9, Chrome	6 x 135 mm	2200	3.46"



MAKE	MODEL	YEAR
Ford	F-150	04-06
Ford	Expedition	04-06
Lincoln	Mark LT	2006
Lincoln	Navigator	04-06



ALCOA JEEP WHEELS

PRO SERIES

ADVENTURE SERIES



PRO SERIES PART NO.	ADVENTURE SERIES PART NO.	DESCRIPTION	BOLT CIRCLE	CAPACITY	CENTER BORE
179021CC	179121CC	17 x 9, Polish	5 x 4.5	1800	2.81"
179021CR	179121CR	17 x 9, Chrome	5 x 4.5	1800	2.81"


MAKE	MODEL	YEAR
Jeep	Wrangler	88-06



ALCOA NISSAN WHEELS

PRO SERIES

ADVENTURE SERIES



PROSERIES PART NO.	ADVENTURESERIES PART NO.	DESCRIPTION	BOLT CIRCLE	CAPACITY	CENTER BORE
179031CC	179131CC	17 x 9, Polish	6 x 5.5	2200	3.46"
209031CC	209131CC	20 x 9, Polish	6 x 5.5	2200	3.46"
179031CR	179131CR	17 x 9, Chrome	6 x 5.5	2200	3.46"
209031CR	209131CR	20 x 9, Chrome	6 x 5.5	2200	3.46"


MAKE	MODEL	YEAR
Nissan	Armada	04-06
Nissan	Titan	04-06



ALCOA TOYOTA WHEELS

PRO SERIES

ADVENTURE SERIES



PRO SERIES PART NO.	ADVENTURE SERIES PART NO.	DESCRIPTION	BOLT CIRCLE	CAPACITY	CENTER BORE
179041CC	179141CC	17 x 9, Polish	6 x 5.5	2200	4.25"
208041CC	208141CC	20 x 8, Polish	6 x 5.5	2200	4.25"
179041CR	179141CR	17 x 9, Chrome	6 x 5.5	2200	4.25"
208041CR	208141CR	20 x 8, Chrome	6 x 5.5	2200	4.25"

MAKE	MODEL	YEAR
Toyota	FJ Cruiser	2007
Toyota	Tundra	00-06
Toyota	Sequola	00-06



ALUMINUM CAPS FOR ALCOA SINGLE WHEELS









PARTNUMBER	DESCRIPTION
002167	Height: 5.875". Long Cap. 5.15" Hub Diameter. 8 on 6-1/2" Bolt Circle. Has Alcoa Medallion.
	
003167	Height: 4.7". 5.15" Hub Diameter. 8 on 6-1/2" Bolt Circle. Has Alcoa Medallion.
	
008167	Height: 4.65" 5.15" Hub Diameter 8 on 6-1/2" Bolt Circle. Open Cap.
	

ALUMINUM WHEEL CAPS FOR ALCOA DUAL WHEELS


PARTNUMBER	DESCRIPTION	PARTNUMBER	DESCRIPTION
<p>001611</p> 	<p>Height: 1.125". For Dodge/Ford dual wheel applications. 8 on 6-1/2" Bolt Circle. Has Alcoa Medallion.</p>	<p>003612</p> 	<p>Height: 4.750". For Chevrolet/GMC dual wheel applications. 8 on 6-1/2" Bolt Circle. Has Alcoa Medallion.</p>
<p>001612</p> 	<p>Height: 4.75". For Dodge/Ford dual wheel applications. 8 on 6-1/2" Bolt Circle. Has Alcoa Medallion.</p>	<p>011911</p> 	<p>Height: 1.5". Fits front 10 hole wheels. 10 on 7.25" Bolt Circle. Has Alcoa Medallion.</p>
<p>001681</p> 	<p>Height: 4.75". Open Cap for Dodge/Ford dual wheel applications. 8 on 6-1/2" Bolt Circle.</p>	<p>011912</p> 	<p>Height: 5.375". Fits rear 10 hole wheels. 10 on 7.25" Bolt Circle. Has Alcoa Medallion.</p>
<p>003611</p> 	<p>Height: 1.125". For Chevrolet/GMC dual wheel applications. 8 on 6-1/2" Bolt Circle. Has Alcoa Medallion.</p>		




STEEL WHEEL CUSTOM CAPS

PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
115 	2.95" Hub Diameter Closed Cap. Used on some trailer wheels.	111 	5.14" Hub Diameter Closed Cap. Used on many 8 on 6-1/2" Bolt Circles.
100 	3.18" Hub Diameter Closed Cap. Fits some trailer 5-4 1/2" Bolt Circles.	112 	5.14" Hub Diameter Open Cap. Used on many 8 on 6-1/2" Bolt Circles.
101 	3.28" Hub Diameter Closed Cap. Fits many 5 on 4-1/2", 5 on 4-3/4" and 5 on 5" Bolt Circles.	139 	5.14" Hub Diameter Closed Long Cap. Used on Ford Rear 8 on 6-1/2" Bolt Circle.
102 	4.25" Hub Diameter Closed Cap. Fits most 5 on 5-1/2" and 6 on 5-1/2" Bolt Circles.		
104 	4.25" Hub Diameter Open Cap. Fits most 5 on 5-1/2" and 6 on 5-1/2" Bolt Circles.		


**CHROME ACORN NUTS,
STAINLESS STEEL CAPPED ACORN NUT,**



TYPE	THREADSIZE	PART NO.
CHROME ACORN NUTS	7/16" R.H.	1002
13/16" HEX	1/2" R.H.	1404
	12mm x 1.25 R.H.	1006
	12mm x 1.50 R.H.	1007
	14mm x 1.50 R.H.	1009
Special Note: Not for use on Alcoa Aluminum Wheels.		



DUPLEX CHROME	1/2" R.H.	3004
ACORN NUTS	9/16" R.H.	3010
7/8" HEX		
Special Note: Not for use on Alcoa Aluminum Wheels.		




EXTRA LONG	9/16" R.H.	3210
DUPLEX CHROME	9/16" L.H.	3220
ACORN NUTS		
7/8" HEX		
Special Note: Not for use on Alcoa Aluminum Wheels.		




ALUMINUM MAG WHEEL NUTS (SHANK TYPE)


Special Note: Not for use on Alcoa Aluminum Wheels.




TYPE	THREADSIZE	PART NO.
SHORT SHANK MAG	7/16" R.H.	5002
13/16" HEX	1/2" R.H.	5004
	12mm x 1.25 R.H.	5006
	12mm x 1.50 R.H.	5007
	WASHER	774



STANDARD MAG	7/16" R.H.	8102
13/16" HEX	1/2" R.H.	8104
	12mm x 1.25 R.H.	8106
	12mm x 1.50 R.H.	8107
	WASHER	772



DUPLEX MAG	1/2" R.H.	9004
7/8" HEX	9/16" R.H.	9010
	WASHER	773



EXTRA LONG	9/16" R.H.	9210
DUPLEX MAG	9/16" L.H.	9220
7/8" HEX	WASHER	773

WASHERS



777



778

PART NO.	DESCRIPTION
774	Round Short Shank Washer
772	Round Standard Mag Washer
773	Round Duplex Washer
777	Keystone Style On Center
778	Keystone Style Off Center

CONVERSION STUDS



Many automobiles, trucks and trailers have no studs on them. They have a tapped surface and a wheel bolt that screws into the surface. This creates a problem if custom wheels are put on. In order to use custom wheel nuts, it is necessary to have a stud. By screwing these studs into the tapped surface, a threaded surface comes out on the other end. An allen wrench secures these studs in place.

PART NO.	DESCRIPTION
944	1/2"-20 R.H. TO 1/2"-20 R.H.
946	12m x 1.25 TO 12m x 1.25
947	12m x 1.50 TO 12m x 1.50
950	12" - 20 RH to 14m x 1.5


CUSTOM WHEEL PART NUMBERS AND CAPS

PART NO.	CAP	PART NO.	CAP
23983	N.A.	80-5357	102 Closed 104 Open
23969	N.A.	80-5358	102 Closed 104 Open
44163	N.A.	80-5366T-E	102
44165	N.A.	80-5367	102 Closed 104 Open
19-2410CT	115	80-5387	111 Closed 139 Closed Extra Long (Ford Rear) 112 Open
19-3410CT	101	80-6367	102 Closed 104 Open
19-4410CT	101	80-6386T-E	111
19-6410CT	102	80-6387	111 Closed 139 Closed Extra Long (Ford Rear) 112 Open
19-8486CT	111	81-5366CT	102
5158060	102 Closed 104 Open	91-3412	115
5150012	101	91-4612-E	101
5158012	101 Closed	91-5512-E	101
5158055	102 Closed 104 Open	91-5550-E	101
5168060	102 Closed 104 Open	91-5612-E	101
5150055	102 Closed 104 Open	91-5650-E	101
KH 128700	102	91-5660-E	102
80-3314T	N.A.	91-7680-E	111
80-3324T	115		
80-4326T-E	101		
80-4366	102 Closed 104 Open		
80-5326T-E	101		
80-5327	101		
80-5347	101		

ALCOA CLEANING SYSTEM

Alcoa has been pushing the leading edge of aluminum technology since they invented the stuff nearly 100 years ago. That's why the Alcoa name carries more credibility with your customers than any other name in the business today. Now Alcoa scientists have formulated an exclusive new aluminum care system you will take a shine to!

The Alcoa Aluminum Care System works on all aluminum components: wheels, fuel tanks, fenders, cab protectors and more. It's as easy as 1-2-3!



PART NUMBER	SIZE	INFORMATION
CLEANER	20 oz.	Sprays on, rinses off. Removes dulling oxidation. No scrubbing to remove ordinary dirt!
POLISH	16 oz.	Restores like-new luster.
SEALANT	13 oz.	Keeps aluminum shining six times longer than unprotected aluminum.



**STEEL WHEEL LOAD RATING CHART
AUTOMOTIVE AND LIGHT TRUCK**

Maximum Recommended Wheel Load.

For 12" Trailer Wheels or other Trailer Ratings,

See the Henderson Wheel Trailer Catalog.

SIZE	BOLT CIRCLE	LOAD RATING
13"	4 & 5 Lug	1100 lb. using 24" maximum tire diameter
14"	4 Lug	1200 lb. using 28" maximum tire diameter
14"	5 & 6 Lug	1500 lb. using 28" maximum tire diameter
15"	5 & 6 Lug	1500 lb. using 30" maximum tire diameter
16"	5, 6 & 8 Lug	2200 lb. using 33" maximum tire diameter

**MAXIMUM RECOMMENDED WHEEL LOADS ARE NOT TO BE
EXCEEDED REGARDLESS OF TIRE LOAD RATING.**

WARNING

Misapplication of Tire/Wheel combination may reduce vehicle's stability and may cause accident and injury. Use on any vehicle of tires or wheels of sizes or types not recommended or specified by vehicle manufacturer is at the user's sole risk and voids any and all warranties expressed or implied (including merchantability and fitness for a particular purpose).

WARNING

Do not mount 16.5" diameter tires on 16" diameter wheels. Do not mount 16" diameter tires on 16.5" diameter wheels.



WARNING

Wheel and tire servicing can be dangerous.

To protect life and limb, be sure you understand and follow all mounting, demounting, maintenance, inspection, operational procedures and safety instructions and practices.

For complete information contact:

**Henderson Wheel & Warehouse Supply
1825 South 300 West
Salt Lake City, UT 84115**

or

**Henderson Wheel & Supply
112 West 34th Street
Boise, ID 83714**


Ask for the following catalog:

"Alcoa Aluminum Truck Wheel Service Manual and Operating Instructions"

Never mount 16.5" diameter tires on 16" diameter wheels.

Never mount 16" diameter tires on 16.5" diameter wheels.

**Come see us at
one of our five
Henderson
Locations:**



Henderson Wheel and Warehouse Supply

1825 South 300 West • Salt Lake City, UT 84115

Tel: (801)486-2073 • Toll Free: (800)748-5111 • Fax: (801)486-0353

Henderson Parts Pros

3144 Grant Avenue • Ogden, UT 84401

Tel: (801)393-0440 • Toll Free: (800)627-3956 • Fax: (801)621-0781

Henderson Parts Pros

7480 South State Street • Midvale, UT 84047

Tel: (801)566-6566 • Fax: (801)352-2535

Henderson Parts Pros

333 North State Street • Orem, UT 84057

Tel: (801)229-2333 • Toll Free: (888)586-8774 • Fax: (801)224-8612

Henderson Wheel & Supply

112 W. 34th Street • Boise, ID 83714

Tel: (208)344-6525 • Toll Free: (800)248-3444 • Fax: (208)336-1296