



COUPLERS

FULTON, Straight Tongue Couplers


- Fas-Lok® Coupler Mechanism
- Shop Oil Finish



Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
11200	1-7/8"	2"	1	2000 lbs.	200 lbs.	Shop Oiled	2.7
11250	1-7/8"	2½"	1	2000 lbs.	200 lbs.	Shop Oiled	2.7
11300	1-7/8"	3"	1	2000 lbs.	200 lbs.	Shop Oiled	2.8
22200	2"	2"	2	3500 lbs.	500 lbs.	Shop Oiled	4.5
22250	2"	2½"	2	3500 lbs.	500 lbs.	Shop Oiled	4.5
22300	2"	3"	2	3500 lbs.	500 lbs.	Shop Oiled	4.5
34300	2"	3"	3	5000 lbs.	700 lbs.	Shop Oiled	4.9

ATWOOD, Straight Tongue Couplers


- Wrap-Around Yoke Style Latch



Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
A80051	2"	3"	2	3500 lbs.	500 lbs.	Primer	5
A80082	2"	2"	3	5000 lbs.	700 lbs.	Primer	5
A80060	2"	3"	3	5000 lbs.	700 lbs.	Primer	5

RAM, Straight Tongue Couplers


- Zinc Plated Finish



Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
CT3001Z	2"	2"	2	3500 lbs.	500 lbs.	Zinc, Plated	4.5
CT3003Z	2"	3"	2	3500 lbs.	500 lbs.	Zinc, Plated	4.5

TITAN, Straight Tongue Couplers

- Zinc Plated Finish



Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
17550	2-5/16"	3"	4	20,000 lbs.	2000 lbs.	Primer	7.5

BULLDOG, Forged Head Straight Tongue Couplers



Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
2B-4H	2"	3"	3	5000 lbs.	750 lbs.	Primer	10.9
3B-4H	2"	3"	3	7000 lbs.	1050 lbs.	Primer	11.8
4B-4H	2-5/16"	3"	4	12,500 lbs.	1875 lbs.	Primer	14.2


ATWOOD, A-Frame Style Couplers



Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
A80072	2"	A-Frame	3	5000 lbs.	700 lbs.	Primer	7
A88555	2"	A-Frame	4	5000 lbs.	1200 lbs.	Primer	9
A81911	2-5/16"	A-Frame	4	10,000 lbs.	1500 lbs.	Primer	9
A81912	2-5/16"	A-Frame	4	13,000 lbs.	1950 lbs.	Primer	10




COUPLERS



FULTON, A-Frame Style Couplers

Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
33305	2"	A-Frame	3	5000 lbs.	700 lbs	Primer	16
44305R	2-5/16"	A-Frame	4	10,000 lbs.	1500 lbs.	Primer	15



RAM, A-Frame Style Couplers

Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
CA5100B	2"	A-Frame	3	5000 lbs.	700 lbs	Primer	10
CA5200B	2-5/16"	A-Frame	4	10,000 lbs.	1500 lbs.	Primer	15




BULLDOG, A-Frame Cast Head Coupler

Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
44150W	2-5/16"	A-Frame	4	14,000 lbs.		Primer	14.2



BULLDOG, A-Frame Forged Head Couplers

Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
2B-8H	2"	A-Frame	3	5000 lbs.	750 lbs.	Primer	13.7
3B-8H	2"	A-Frame	3	7000 lbs.	1050 lbs.	Primer	12.6
4B-8H	2-5/16"	A-Frame	4	12,500 lbs.	1875 lbs.	Primer	15.8



ATWOOD, Heavy Duty Bumper Pull Type Coupler

Part Number	Ball Size	Tongue Size	SAE Class	Capacity	Tongue Weight	Finish	Weight
A75074	2-5/16"	4-HOLE	5	25,000 LB.	8,000 LB.	Primer	16

ADJUSTABLE COUPLERS



ADJUSTABLE BALL COUPLERS

Part Number	Brand	Ball Size	Capacity	Weight
0090150	Buyers	2"	10,000 lb.	9
0090100	Buyers	2-5/16"	10,000 lb.	9.4



Part Number	Brand	Ball Size	Capacity	Weight
3B-6M	Bulldog	2"	7,000 lb.	11
4B-6M	Bulldog	2-5/16"	12,500 lb.	12




Part Number	Brand	Ball Size	Capacity	Weight
A256C	Bulldog	2-5/16"	14,000 lb.	12

Mounting Bracket



B-9020 Bolt & Nut Mounting Kit
 B-8978 3-Position Channel
 B-8979 5-Position Channel w/
 Weld Gussets

GOOSENECK COUPLERS



BULLDOG, Gooseneck Coupler Head Kit

Part Number	Ball Size	Capacity	Description	Weight
18-200	2-5/16"	24,000 lb.	Coupler Head Kit	10



BULLDOG, Fixed Base Gooseneck Coupler


Part Number	Ball Size	Capacity	Description	Weight
18-210	2-5/16"	20,000 lb.	Round Fixed Base Coupler, 33" Tube	38



BULLDOG, Round Adjustable Gooseneck Coupler


- 3/4" Load Bearing Pin
- In Compliance with the New SAE Standard J2638

Part Number	Ball Size	Capacity	Description	Weight
18-220	2-5/16"	20,000 lb.	Round Adjustable Gooseneck Coupler 29.30" Retracted Height w/ 8" Travel 3/4" Load Bearing Pin	48
028761			Replacement Inner Tube Assembly	22
028925	2-5/16"	25,000 lb.	Round Adjustable Gooseneck Coupler 29.30" Retracted Heights w/ 8" Travel 4.5" Dia. Outer Tube 4" Dia. Inner Tube with Cast Locking Plate & 3/4" Load Bearing Pin	54
028950	2-5/16"	30,000 lb.	Round Adjustable Gooseneck Coupler 29.30" Retracted Heights w/ 8" Travel 4.5" Dia. Outer Tube 4" Dia. Inner Tube with Cast Locking Plate & 3/4" Load Bearing Pin	69



RAM, Round Adjustable Gooseneck Coupler

Part Number	Ball Size	Capacity	Description	Weight
GC-24000	2-5/16"	24,000 lb.	Round Tube Adjustable Coupler	50



BULLDOG, Square Adjustable Gooseneck Coupler

- 3/4" Load Bearing Pin
- In Compliance with the New SAE Standard J2638

Part Number	Ball Size	Capacity	Description	Weight
028900	2-5/16"	30,000 lb.	Square Adjustable Gooseneck Coupler 32" Retracted Heights w/ 7" Travel 4.5" Square Outer Tube 4" Square Inner Tube with & Top Wind Crank	82



COUPLER ACCESSORIES



Coupler Handle

Part Number	Brand	Description	Weight
CH0701	Fulton	Coupler Handle, Fits all 1-7/8" & 2" Straight Couplers w/ Factory Holes	



Coupler, Receiver & Pad Locks

Part Number	Brand	Description
UTL100	Fulton	Universal Trailer Coupler Lock, Durable Cast Body. will fit most 1-7/8" 2" & 2-5/16" Couplers




DT25013	Diversi-Tech	Universal Trailer Coupler Lock will fit most 1-7/8" 2" & 2-5/16" Couplers
---------	--------------	---



TP20	Fulton	Gorilla Guard, 2" Ball Coupler Lock
TP25	Fulton	Gorilla Guard, 2-5/16" Ball Coupler Lock




5TH WHEEL PRODUCTS




ATWOOD, Mini 5th Wheel

Part Number	Capacity	Description	Weight
A75051	32,200 lb.	Atwood Mini 5th Wheel, 2-Way Pivot, Mounts in Bed of truck or on trailer upside down.	82



ATWOOD, Retractable King Pin

Part Number	Capacity	Description	Weight
A75133	32,200 lb.	Retractable King Pin w/ Base	44



2" SAE King Pin

Part Number	Description	Weight
2084192	2" SAE Trailer King Pin, Bolster Plate Thickness .38" Weldable Material.	12.5

PINTLE HOOKS



PINTLEHOOKS

Part Number	Capacity	Tongue Weight	Description	Weight
PH-5	10,000 lb.	2000 lb.	5-Ton, Forged Light Duty Pintle Hook` Drawbar Eye Dimensions: 2" to 3" with 1 1/4 -1-5/8" dia. Section Nut & Bolt Mounting Kit	7.5
PH-15	30,000 lb.	6000 lb.	15-Ton, Forged Heavy Duty Pintle Hook Drawbar Eye Dimensions: 2" to 3" With 1 1/4 -1-5/8" dia. Section	11

PH-45	90,000 lb.	18,000 lb.	45-Ton, Forged Heavy Duty Pintle Hook Drawbar Eye Dimensions: 2" to 3" With 1 1/4 -1-5/8" dia. Section	23
-------	------------	------------	--	----

BP100A	20,000 lb.	4000 lb.	15-Ton Forged Swivel-Type Pintle Hook Drawbar Eye Dimensions: 2" to 3" With 1 1/4 -1-5/8" dia. Section	33
--------	------------	----------	--	----

8520			Mounting Kit used with PH-5, PH-15, BH8-2000 & BH8-2516	.75
------	--	--	---	-----


COMBINATION HITCH



Part Number	Capacity	Tongue Weight	Description	Weight
BH8-2000	16,000 lb.	3000 lb.	8-Ton Forged Alloy Steel Combination Hitch with 2" Ball ** Warning: Capacity of this unit is limited to the capacity of the coupler used. 2" ball has a max. capacity of 7,000 lbs.	13
BH8-2516	16,000 lb.	3000 lb.	8-Ton Forged Alloy Steel Combination Hitch with 2-5/16" Ball ** Warning: Capacity of this unit is limited to the capacity of the coupler used. 2-5/16" ball has a max. capacity of 12,000 lbs.	13
RB1780			1-7/8" Replacement Ball	
RB2000			2" Replacement Ball	
RB2516			2-5/16" Replacement Ball	
P11C			Clip W/ Chain	.13



DRAWBARS




FORGED DRAWBARS, Weld-On Mount

Part Number	Capacity	Tongue Weight	Description	Weight
LW-10	10,000#	1000#	Forged Steel Drawbar C1020 Forged Steel, 2½" I.D. Ring	4


FORGED DRAWBARS, Bolt-On Mount

Part Number	Capacity	Tongue Weight	Description	Weight
BDB12281	20,000#	4000#	Bolt On Forged Steel Drawbar 2½" I.D. Ring	20
BDB1238	22,000#	4500#	Bolt On Forged Steel Drawbar 3" I.D. Ring	27




FORGED DRAWBARS, Bolt-On Mount

Part Number	Capacity	Tongue Weight	Description	Weight
BDB12503	15,000#	3000#	Forged Alloy Steel Drawbar With Nut, Washer & Cotter Pin 2½" I.D. eye with 1½" section drawbar.	9
BDB12492H	45,000#	9000#	Forged Alloy Steel Drawbar With Nut, Washer & Cotter Pin 3" I.D. eye with 1½" section drawbar.	16



Forged Drawbars, Four Bolt Mounting Base


Part Number	Capacity	Tongue Weight	Description	Weight
BDB125015	42,000#	7000#	4-Bolt Mount Drawbar 2½" I.D. Eye, with 1½" Section.	17
BDB1385	60,000#	15,000#	4-Bolt Mount Drawbar 3" I.D. Eye, with 1.62" Section.	20



Adjustable Lunette Eye


Part Number	Capacity	Weight	Notes
B-16137	Adjustable Eye, 3" I.D.	12,000 lb.	11

B-9020	Bolt & Nut Mounting Kit		
B-8978	3-Position Channel		
B-8979	5-Position Channel w/ Weld Gussets		




Pintle Mount Adapters

Part Number	DIMENSIONS			Description	Weight
	A	B	C		
DT4331	9½"	5½"	3"	Pintle Mount Adapter, 6 Hole	8.3
PM-87	8½"	7½"	2½"	Pintle Mount Adapter, 8 Hole	15
PM-812	12½"	13"	2½"	Pintle Mount Adapter, 14 Hole	24






RECEIVER PIN & CLIP



Part Number	Description
HP6253WC	5/8" Receiver Pin & Clip

RECEIVER TUBES



Part Number	Description
RT25806	6" Receiver Tube, 2" ID, 5/8" Pin Hole, Unpainted
RT25808	8" Receiver Tube, 2" ID, 5/8" Pin Hole, Unpainted
RT25812	12" Receiver Tube, 2" ID, 5/8" Pin Hole, Unpainted
RT25818	18" Receiver Tube, 2" ID, 5/8" Pin Hole, Unpainted
RT25824	24" Receiver Tube, 2" ID, 5/8" Pin Hole, Unpainted
RT25836	36" Receiver Tube, 2" ID, 5/8" Pin Hole, Unpainted
RT25848	48" Receiver Tube, 2" ID, 5/8" Pin Hole, Unpainted

BILLET ALUMINUM BALL MOUNTS

DT-BM Series, Hitch-Pin Style Polished Aluminum Ball Mounts Class V - 2,000 lbs. Tongue / 14,000 lbs. Trailer



Part Number	Description
DT-BM4200	2" Drop, 1" Rise, 1" Ball Hole
DT-BM4400	4" Drop, 3" Rise, 1" Ball Hole
DT-BM4600	6" Drop, 5" Rise, 1" Ball Hole
DT-BM5200	2" Drop, 1" Rise, 1" Ball Hole
DT-BM5400	4" Drop, 3" Rise, 1" Ball Hole
DT-BM5600	6" Drop, 5" Rise, 1" Ball Hole



DT-LBM Series, Self Locking Polished Aluminum Ball Mounts Class V - 2,000 lbs. Tongue / 14,000 lbs. Trailer

Part Number	Description
DT-LBM8200	2" Drop, 1" Rise, 1" Ball Hole
DT-LBM8400	4" Drop, 3" Rise, 1" Ball Hole
DT-LBM8600	6" Drop, 5" Rise, 1" Ball Hole
DT-LBM9200	2" Drop, 1" Rise, 1" Ball Hole
DT-LBM9400	4" Drop, 3" Rise, 1" Ball Hole
DT-LBM9600	6" Drop, 5" Rise, 1" Ball Hole




DT-ALBM Series, Adjustable Dual Locking, Double Ball Hitch Class V - 1,500 lbs. Tongue / 10,000 lbs. Trailer

Part Number	Description
DT-ALBM6400	4" Drop, 5" Rise, 2" & 2-5/16" Ball
DT-ALBM6600	6" Drop, 7" Rise, 2" & 2-5/16" Ball
DT-ALBM6800	8" Drop, 9" Rise, 2" & 2-5/16" Ball




TRAILER JACKS

A-FRAME TRAILER JACKS




Part Number	Brand	Capacity	TRAVEL	Description	Weight
A40200	Atwood	1000 lbs.	15"	Top Wind A-Frame Jack	9
A40201	Atwood	2000 lbs.	14"	Top Wind A-Frame Jack	11
A80391	Atwood	5000 lbs.	14"	Top Wind A-Frame Jack	12
A80000	Atwood	1000 lbs.	14"	Side Wind A-Frame Jack	11
A87510	Atwood	2000 lbs.	14"	Side Wind A-Frame Jack	12
155097	Bulldog	2000 lbs.	15"	Top Wind A-Frame Jack	11.4
TJA2000Z	Ram	2000 lbs.	14"	Top Wind A-Frame Jack Zinc Plated	11
TJA5000	Ram	5000 lbs.	14"	Top Wind A-Frame Jack	12
155036	Bulldog	2000 lbs.	15"	Bulldog Top Wind A-Frame Jack Mounting plate located 4" from bottom of outer tube.	11.4



TRAILER JACK SCREW


Part Number	Brand	Capacity	TRAVEL	Description	Weight
A80167	Atwood	1000 lbs.	15"	Top Wind Jack Screw	10
A80380	Atwood	5000 lbs.	14"	Top Wind Jack Screw	11
A80126	Atwood	1000 lbs.	13"	Side Wind Jack Screw	10
A81141	Atwood	2000 lbs.	14"	Side Wind Jack Screw	13

Caster Wheels



Part Number	Brand	Capacity	Description	Weight
A40301	Atwood	1000 lbs.	Static Cap 2" Wide Caster for use with 2" Ram, 2000 lb. & 5000 lb. Jacks	3
CE555	Bulldog	1200 lbs.	Plastic Caster w/ Snapper Pin For Bulldog Jacks	4.4
017125	Bulldog	1000 lbs.	Steel Caster w/ Snapper Pin For Bulldog Jacks	4.4

Detachable Jack Feet



Part Number	Brand	Capacity	Description	Weight
A40302	Atwood	10,000 lbs.	Steel Jack Foot, 4 3/4" Extension for use with 2000 lb. & 5000 lb. Jacks	2
A40303	Atwood	10,000 lbs.	Steel Jack Foot with Pin use with 2000 lb. Jacks with Pin Holes	2
019373-A	Bulldog	5000 lbs.	Steel Jack Foot w/ Pin, 8 3/4" Tall	3
019669	Bulldog	2000 lbs.	Steel Jack Foot w/ Pin, Short	2

Support Plates



Part Number	Brand	Capacity	Description	Weight
A80263	Atwood	n/a	Bottom Support Plate, Fits 1000 lb. Atwood Jacks	1
A80570	Atwood	n/a	Bottom Support Plate, Fits 2000 lb. & 5000 lb. Atwood Jacks	1
003135	Bulldog	n/a	Bottom Support Plate Fits Bulldog & Eclipse 2000lb. Jacks	1
JSP-100	RAM	n/a	Bottom Support Plate Fits Ram A-Frame Jacks	1


TRAILER JACKS



BULLDOG, A-Frame Rack Jack

- Heavy Duty 21" long, 1200lbs. Rack & post.


Part Number	Brand	Capacity	TRAVEL	Description	Weight
165WHD	Bulldog	1200 lbs.	16"	A-Frame Heavy Duty Rack Jack	14.4



POWER JACK

- 12V/DC Electric Motor
- Courtesy Light
- Manual Override Handle


Part Number	Brand	Capacity	TRAVEL	Description	Weight
A80515	Atwood	2500 lbs.	16"	Atwood Deluxe Power Jack	27
A80530	Atwood	3500 lbs.	16"	Atwood Heavy Duty Power Jack	29



ATWOOD Industrial Type Swivel Jacks (Retaining Ring Mount)

- Mounting Hardware sold separately

Part Number	Brand	Capacity	TRAVEL	Description	Weight
A40004	Atwood	2000 lbs.	10"	Top Wind Swivel Jack, w/ Steel Foot	11
A87501	Atwood			Swivel Jack, Retaining Ring Mounting Bracket, Weld-On	2
A87502	Atwood			Swivel Jack, Retaining Ring Mounting Bracket, Bolt-On	5



CROWN, Industrial Type Swivel Jacks (Retaining Ring Mount)

- Zinc plated for the highest degree of durability & appearance
- Mounting Hardware sold separately

Part Number	Brand	Capacity	TRAVEL	Description	Weight
610001	Crown	2000 lbs.	10"	Top Wind Swivel Jack, Zinc Plated	9.5
610003	Crown	2000 lbs.	15"	Top Wind Swivel Jack, Zinc Plated	11.6
620001	Crown	2000 lbs.	10"	Side Wind Swivel Jack, Zinc Plated	10.7
620003	Crown	2000 lbs.	15"	Side Wind Swivel Jack, Zinc Plated	12.8
015289	Crown			Weld-On Mounting Bracket for Retaining Ring Style Crown	.80
800031	Crown			Bolt-On Mounting Bracket for Retaining Ring Style Crown	1
500241	Crown			Retaining Ring for Crown Jacks	0.03



INDUSTRIAL Type Swivel Jacks (Retaining Ring Mount)

- Weld-On Mounting Hardware Included


Part Number	Brand	Capacity	TRAVEL	Description	Weight
TJB2001	Ram	2000 lbs.	10"	Top Wind Swivel Jack, Retaining Ring Mount	10



TRAILER JACKS

ATWOOD, Industrial Type Swivel Jacks (Tube Mount)

- Mounting Hardware sold separately



Part Number	Brand	Capacity	TRAVEL	Description	Weight
A82471	Atwood	5000 lbs.	15"	Top Wind Swivel Jack, Tubular Mount	19
A86500	Atwood	5000 lbs.	15"	Top Wind Swivel Jack, Tubular Mount Mounting bracket comes unattached and can be welded to jack in different positions. (Sold in Boise Only)	18
A82500	Atwood			Tubular Mounting Bracket, 3"O.D. 2-7/16" I.D.	2

CROWN, Industrial Type Swivel Jacks (Tube Mount)


- Zinc plated for the highest degree of durability & appearance
- Mounting Hardware sold separately



Part Number	Brand	Capacity	TRAVEL	Description	Weight
610013	Crown	2000 lbs.	10"	Top Wind Swivel Jack, Tubular Mount	9.8
610015	Crown	2000 lbs.	15"	Top Wind Swivel Jack, Tubular Mount	11.9
610021	Crown	5000 lbs.	10"	Top Wind Swivel Jack, Tubular Mount	11.6
610023	Crown	5000 lbs.	15"	Top Wind Swivel Jack, Tubular Mount	14.3
620013	Crown	2000 lbs.	10"	Side Wind Swivel Jack, Tubular Mount	11
620015	Crown	2000 lbs.	15"	Side Wind Swivel Jack, Tubular Mount	13.3
620021	Crown	5000 lbs.	10"	Side Wind Swivel Jack, Tubular Mount	12.8
620023	Crown	5000 lbs.	15"	Side Wind Swivel Jack, Tubular Mount	15.6
015279	Crown			Weld-On Tubular Mounting Bracket, 2"O.D.	
800042-01	Crown			Bolt-on Tubular Mounting Bracket, 2"O.D.	

RAM, Industrial Type Swivel Jacks (Tube Mount)

- Weld-On Mounting Hardware Included



Part Number	Brand	Capacity	TRAVEL	Description	Weight
TJP2002	Ram	2000 lb.	15"	Top Wind Swivel Jack, Tubular Mount	11.9
TJP5001	Ram	5000 lb.	10"	Top Wind Swivel Jack, Tubular Mount	12.8

Crown, Industrial Heavy Duty Swivel Jacks (Tube Mount)

- Zinc plated for the highest degree of durability & appearance
- Mounting Hardware sold separately



Part Number	Brand	Capacity	TRAVEL	Description	Weight
610054	Crown	7000#	15"	Top Wind Swivel Jack, Tubular Mount	18.5
620057	Crown	7000#	15"	Side Wind Swivel Jack, Tubular Mount	19.5
005024	Crown			Weld-On Tubular Mounting Bracket,	


BULLDOG, Square Industrial Heavy Duty Swivel Jacks (Tube Mount)

- 5,000lb. Support Capacity 3500lb. Lift Capacity
- Mounting Hardware included



Part Number	Brand	Support Capacity	TRAVEL	Description	Weight
195306	Bulldog	5000 lb.	15"	Top Wind Square Tube, Jack Swivel Jack	17.5
195356	Bulldog	5000 lb.	15"	Side Wind Square Tube, Jack Swivel Jack	18.5


TRAILER JACKS



ATWOOD, Marine Swivel Jacks, (Retaining Ring Mount)

- Zinc Plated for Marine use
- Mounting Hardware sold separately


Part Number	Brand	Capacity	TRAVEL	Description	Weight
A40000	Atwood	800 lb.	8"	Top Wind Swivel Jack, Retaining Ring Mount w/ Caster	9
A87535	Atwood	800 lb.	10"	Side Wind Swivel Jack, Retaining Ring Mount w/ Caster	12
A87690	Atwood	1200 lb.	10"	Side Wind Swivel Jack Retaining Ring Mount w/ Caster	19
A87501	Atwood	Swivel Jack, Retaining Ring Mounting Bracket, Weld-On			2
A87502	Atwood	Swivel Jack, Retaining Ring Mounting Bracket, Bolt-On			5



RAM, MARINE Swivel Jacks, (Retaining Ring Mount)

- Zinc Plated for Marine use
- Mounting Hardware Included

Part Number	Brand	Capacity	TRAVEL	Description	Weight
MJ1000B	Ram	1000 lb.	10"	Side Wind Swivel Jack Retaining Ring Mount w/ Caster Bolt-on Mounting Hardware included	12



FULTON, Marine Heavy Duty Swivel Jacks, (Retaining Ring Mount)

- Zinc Plated for Marine use
- 6" Dual Wheel Casters
- Mounting Hardware Included

Part Number	Brand	Capacity	TRAVEL	Description	Weight
XPD15L	Fulton	1500 lb.	10"	Side Wind Swivel Jack, Snap Ring Mount w/ Dual Casters	23



MARINE SWIVEL JACKS, BOLT THRU STYLE

- Heavy Duty Bolt-thru Mounting
- Zinc Plated for Marine use
- Mounting Hardware sold separately

Part Number	Brand	Capacity	TRAVEL	Description	Weight
XP-10	Fulton	1500 lb.	10"	Bolt-Thru Mount w/ Caster	23
P20520-00	Fulton	Weld on mounting bracket for bolt-thru type jacks			



TRAILER JACKS




Jack Mounting Hardware (Retaining Ring Swivel)

Part Number	Brand	Description	Weight
A87501	Atwood	Weld-on mounting bracket w/ snap ring	
A87502	Atwood	Bolt-on mounting bracket w/ snap ring	
015289	Bulldog / Crown	Weld-on mounting bracket w/o snap ring	1
800031	Bulldog / Crown	Weld-on mounting bracket w/o snap ring	1.8
500241	Bulldog / Crown	Snap Ring	.03

Jack Mounting Hardware (Tubular Swivel)

Part Number	Brand	Description	Weight
015279	Bulldog / Crown	Weld-on male mount. 5/8" pull pin 2000lbs. - 5000lbs. Jacks	
800042-01	Bulldog / Crown	Bolt-on male mount. 5/8" pull pin 2000lbs. - 5000lbs. Jacks	
005024	Bulldog / Crown	Weld-on female mount. 5/8" pull pin 7000lbs. Jacks	
500231	Bulldog / Crown	5/8" x 3-1/2" Pull Pin	
500232	Bulldog / Crown	5/8" x 4-1/4" Pull Pin	

SQUARE TUBE TRAILER JACKS



BULLDOG, Direct Weld Square Tube Drop Leg Jacks 8,000lb. Support Capacity

- 8,000lb. Support Capacity 5,000lb. Lift Capacity
- Drop leg offers an additional 13.5" adjustment.

Part Number	Brand	Support Capacity	TRAVEL	Description	Weight
190704	Bulldog	8000 lb.	15"	Top-wind, Drop Leg Trailer Jack	24
190754	Bulldog	8000 lb.	15"	Side-wind, Drop Leg Trailer Jack	26

BULLDOG, Direct Weld Square Tube Drop Leg Jacks 10,000lb. Support Capacity


- 12,000lb. Support Capacity 7,200lb. Lift Capacity
- Drop leg offers an additional 13.5" adjustment.
- Heavy duty base w/ reinforcement ribs.
- Grease zerker for easy lubrication as needed



Part Number	Brand	Support Capacity	TRAVEL	Description	Weight
180354	Bulldog	10,000 lb.	15"	Top-wind, Drop Leg Trailer Jack	30
**180405	Bulldog	10,000 lb.	10"	Side-wind, Drop Leg Trailer Jack	32.5
180455	Bulldog	10,000 lb.	15"	Side-wind, Drop Leg Trailer Jack	32.5

**Existing Stock Only

SQUARE TUBE TRAILER JACKS




RAM, Direct Weld Square Tube Drop Leg Jacks 7,000lb. Support Capacity

- 7,000lb. Support capacity and 5000 lb. Lift capacity
- Drop leg offers an additional 13.5" adjustment.

Part Number	Brand	Capacity	TRAVEL	Description	Weight
TJD7000	Ram	7000 lb.	15"	Top-wind, Drop Leg Trailer Jack	24
TJD7000S	Ram	7000 lb.	15"	Side-wind, Drop Leg Trailer Jack	26

DROP LEG TRAILER JACKS




RAM, Heavy Duty Gooseneck Drop Leg Jack

- 12,000 lbs. Support capacity and 10,000 lb. Lift capacity
- 12.5" Screw travel, 13.5" of additional adjustment with drop leg.

Part Number	Brand	Capacity	TRAVEL	Description	Weight
TJD-12000SP-F	Ram	12,000 lbs.	12.5"	Heavy Duty Square Drop Leg Jack Side Facing Drop Leg Plunger Pin	24

BULLDOG, Heavy Duty Gooseneck Drop Leg Jack


- 12,000lb. Support capacity and 10,000 lb. Lift capacity
- 12.5" Screw travel, 13.5" of additional adjustment with drop leg.



Part Number	Brand	Support Capacity	TRAVEL	Description	Weight
182400	Bulldog	12,000 lb.	12.5"	Heavy Duty Square Drop Leg Jack Side Facing Drop Leg Plunger Pin	58
T-12	Bulldog	12,000 lb.	12.5"	Complete Jack & Crank Kit Includes 182400 Jack, 015181 Crank, Bolt & Nuts to install Crank	61
015181	Bulldog			Side Wind Crank, Vertical Clevis	3
701369	Bulldog			Side Wind Crank, 13/16" Socket	4

BULLDOG, Heavy Duty Gooseneck Drop Leg Jack, Spring Return Drop Leg


- 12,000lb. Support capacity and 10,000 lb. Lift capacity
- 12.5" Screw travel, 13.5" of additional adjustment with drop leg.
- Spring return drop leg



Part Number	Brand	Support Capacity	TRAVEL	Description	Weight
182800	Bulldog	12,000 lb.	12.5"	Heavy Duty Square Drop Leg Jack Side Facing Drop Leg Plunger Pin	62
182815	Bulldog	12,000 lb.	12.5"	Heavy Duty Square Drop Leg Jack Front Facing Drop Leg Plunger Pin	62
T-12S	Bulldog			Complete Jack & Crank Kit Includes 182815 Jack, 015181 Crank, Bolt & Nuts to install Crank	65
015181	Bulldog			Crank, only	3
701369	Bulldog			Side Wind Crank, 13/16" Socket	4



DROP LEG TRAILER JACKS



BULLDOG, Heavy Duty 2-Speed Gooseneck Drop Leg Jack, (Planetary)

- 12,000lb. Support capacity and 10,000 lb. Lift capacity
- 12.5" Screw travel, 13.5" of additional adjustment with drop leg.
- Spring return drop leg
- Easier cranking when fully loaded and faster when unloaded
- In low gear the ratio delivers full lifting power at a super smooth, easy-lifting 27 turns per 1" of travel. In high gear, the cranking ratio is a speedy 9 turns per 1" of travel. Best in Class

Part Number	Brand	Support Capacity	TRAVEL	Description	Weight
183816	Bulldog	12,000 lb.	12.5"	Heavy Duty 2-Speed Square Drop Leg Jack Front Facing Drop Leg Plunger Pin	62
701466	Bulldog			Removable side-wind crank for direct mount applications	4




BULLDOG, Heavy Duty 2-Speed Gooseneck Drop Leg Jack, (Traditional)

- 12,000lb. Support capacity and 10,000 lb. Lift capacity
- 12.5" Screw travel, 13.5" of additional adjustment with drop leg.
- Spring return drop leg
- Easier cranking when fully loaded and faster when unloaded
- In low gear the ratio delivers full lifting power at a super smooth, easy-lifting 29 turns per 1" of travel. In high gear the cranking ratio is a speedy 9 turns per 1" of travel. Best in Class


Part Number	Brand	Support Capacity	TRAVEL	Description	Weight
183903	Bulldog	12,000 lb.	12.5"	Heavy Duty 2-Speed Square Drop Leg Jack Front Facing Drop Leg Plunger Pin	62
015189	Bulldog			Crank, Handle	4

STABILIZER JACK




Atwood, Stabilizer Jack


Part Number	Brand	Static Capacity	TRAVEL	Description	Weight
A82301	Atwood	650 lbs.	6¼"	Stabilizing Jack	4
A80480	Atwood			11½ - 17¾" adjustment Jack Handle	1



Height




Style 1
w/ Wrench Flats



Style 2
w/o Wrench Flats



Style 3
Extra Lift



Style 4

HITCH BALLS

Part Number	Type	Rated Capacity	Ball Size	Shank Dia.	Shank Length	Style (Above)
DT63812	Chrome	2000	1-7/8"	3/4"	2-3/8"	2
DT63816	Chrome	2000	1-7/8"	1"	2-1/8"	2
DT63822	Chrome	3500	2"	3/4"	2-3/8"	2
DT63826	Chrome	6000	2"	1"	2-1/8"	2
DT63828	Chrome	6000	2"	1"	3-3/8"	2
DT63830	Chrome	8000	2"	1-1/4"	2-3/4"	2
DT63832	Chrome	6000	2-5/16"	1"	2-1/8"	2
DT63834	Chrome	12,000	2-5/16"	1-1/4"	2-3/4"	2
DT63836	Chrome	14,000	2-5/16"	1-1/4"	2-3/4"	2
HB255	Chrome	10,000	2-5/16"	1-1/4"	2-7/8"	3 - 1" Rise
HB256	Chrome	10,000	2-5/16"	1-1/4"	3-7/8"	3 - 1" Rise
HB257	Black	30,000	2-5/16"	1-1/4"	2-1/4"	3 - 2" Rise
HB258	Black	30,000	2-5/16"	1-1/4"	3-7/8"	3 - 2" Rise
A84137	Plain	40,000	2-5/16"	1-3/8"	2-1/4"	4



INTERCHANGEABLE HITCH BALL SET

Designed to accommodate towing multiple trailers with ease, Draw-tite's interchangeable hitch ball system allows you to change hitch ball sizes in seconds without any tools. Available in 2 and 3 ball sets. These kits feature a quick-release, positive-latch design. Available in 3/4" and 1" shank models.

INTERCHANGEABLE HITCH BALL SYSTEM

- Innovative Quick Release Changes Balls in Seconds
- Rated Capacities up to 10,000 lbs.
- Durable Heat Treated Shank
- New Positive Latch Design
- No Special Tools Required




Part Number	Capacity	Shank	Ball - A	Ball - B	Ball - C
DT40333	5,000 lbs.	3/4"	1-7/8"	2"	-
DT40334	10,000 lbs.	1"	1-7/8"	2"	-
DT40314	10,000 lbs.	1"	-	2"	2-5/16"
DT40335	10,000 lbs.	1"	1-7/8"	2"	2-5/16"

INTERCHANGEABLE HITCH BALL REPLACEMENT PARTS



Part Number	Description	Max. GVW
DT8353	1-7/8" Interchangeable Hitch Ball Head	5,000 lbs.
DT8354	2" Interchangeable Hitch Ball Head	5,000 lbs.
DT8356	2-5/16" Interchangeable Hitch Ball Head	5,000 lbs.
DT8357	3/4" Interchangeable Shank	5,000 lbs.
DT8358	1" Interchangeable Shank	10,000 lbs.

RETRACTABLE BALL MOUNT ASSEMBLY




Part Number	Description	Capacity	Weight
A75064	Atwood Retractable Ball Mount Assembly with Rings for Safety Chains	25,000 lbs.	33

HYDRAULIC BRAKE SURGE ACTUATORS

With a hydraulic brake surge actuator, no separate brake controls or connections are needed in the towing vehicle. The actuator applies the trailer brakes automatically with proportional force when the tow vehicles brakes are applied. It is simple to install and operate, and also offers breakaway protection.


•Hydraulic brake tubing kit are also required to complete system.



ATWOOD, Hydraulic Brake Actuator

- Reverse Lock-Out Lever
- Primer Finish


Part Number	Description	Load Capacity	Tongue Load	Weight
A82543	2" Ball actuator for 3" tongue. bolt / weld-on application	6000	900	20



ATWOOD, Hydraulic Brake Actuator

- Reverse Lock-Out Lever
- Primer Finish


Part Number	Description	Load Capacity	Tongue Load	Weight
A83000	2" Ball actuator for 3" tongue. bolt / weld-on application	8000	1000	22



TITAN, Hydraulic Brake Actuator

- Model 60 Lever Lock Actuator
- Zinc Plated for Greater Corrosion Resistance


Part Number	Description	Load Capacity	Tongue Load	Weight
43329	2" Ball actuator for 3" tongue. Weld-on application	6000	600	17.5



TITAN, Hydraulic Brake Actuator

- Model 6 Actuator
- Zinc Plated for Greater Corrosion Resistance


Part Number	Description	Load Capacity	Tongue Load	Weight
40792	2-5/16" Ball actuator for 3" tongue. Bolt / weld-on application	7,500	600	27



TITAN, Hydraulic Brake Actuator

- Model 10 Actuator
- Primer Finish
- Usage suggested for recreational and light industrial trailers


Part Number	Description	Load Capacity	Tongue Load	Weight
16075	2-5/16" Ball actuator for 3" tongue. Weld-on application	10,000	800	42



TITAN, Hydraulic Brake Actuator

- Model 10 Actuator
- Primer Finish
- Usage suggested for recreational and light industrial trailers


Part Number	Description	Load Capacity	Tongue Load	Weight
18909	2-5/16" Ball adjustable actuator for 3" tongue. Weld-on application	10,000	800	42



TITAN, Hydraulic Brake Actuator

- Model 10 Actuator
- Primer Finish
- Usage suggested for recreational and light industrial trailers


Part Number	Description	Load Capacity	Tongue Load	Weight
18911	3" Lunette Eye Adjustable Actuator 3" Tongue, Weld-on application	10,000	800	42



TITAN, Hydraulic Brake Actuator

- Model 20 Actuator
- Primer Finish
- Usage suggested for recreational and light industrial trailers

Part Number	Description	Load Capacity	Tongue Load	Weight
17778	2-5/16" Ball adjustable actuator for 3" tongue. Weld-on application	12,000	1200	76.5



TITAN, Hydraulic Brake Actuator

- Model 20 Actuator
- Primer Finish
- Usage suggested for recreational and light industrial trailers

Part Number	Description	Load Capacity	Tongue Load	Weight
18898	3" Lunette Eye Adjustable Actuator 3" Tongue, Weld-on application	12,000	1200	76.5



Hydraulic Brake Line Kits

Part Number	Description	Axle Type	Weight
*HSB101SA	Single Axle Brake Line Kit, 72" Main Line	Spring	2.5
*HSB201TA	Tandem Axle Brake Line Kit 72" Main Line	Spring	4
*T-300TR	Single Axle Brake Line Kit,	Torsion	2
*T-702TR	Tandem Axle Brake Line Kit	Torsion	4
A16196	18" Rubber Brake Hose		.25
A20187	3/16" Tee Fitting w/ Weld Tab		1
A16702	3/16" x 30" Steel Tubing		.5
A85868	3/16" x 65½" Steel Tubing		1

*Kit fits 2k to 7k axles
Larger capacity axles require different kits that may be special ordered.

ELECTRIC / HYDRAULIC ACTUATORS




DEXTER, DX Series™ Electro/Hydraulic Actuators

- Large reservoir capacity reduces the number of fill-ups required which reduces the bleed time as well as the risk of running the reservoir dry during brake bleeding.
- Aluminum enclosure provides anti-corrosive protection and prevents the elements from affecting reliability while the finned housing design dissipates heat efficiently.
- The unit's hydraulic pump is unrestricted by fluid displacement requirements of brakes while allows for use on single, tandem and triple axle applications regardless of capacity without risk of starving the brakes for fluid.
- Solid state electronics eliminate mechanical relays and possible damage to the unit if wired incorrectly in addition to improved durability and compatibility with any electric brake controller.
- Proportional pressure output to the brakes corresponds to voltage output of the brake controller.
- Reliable warranty coverage provides each actuator with an industry leading 2 years
- Requires a four wire hook up and minimum 9 amp/hour break-away kit.
- DOT 3 or 4 brake fluid

Part Number	Description	Weight
K71-650-00	Electro/Hydraulic Actuator. 1000lbs. Max. Pressure for Drum Brake applications	15
K71-651-00	Electro/Hydraulic Actuator. 1600lbs. Max. Pressure for Disc Brake applications	15




TRAILER COUPLER REPAIR PARTS




Atwood Coupler Repair Kits

PART NUMBER	DESCRIPTION
A15775	Wrap-Around Yoke Style Latch 2" Ball Thumb Latch Release Ball Clamp 2-5/16" Ball




Fulton Coupler Repair Kits

PART NUMBER	DESCRIPTION
58 0801	Kit for 11 series Fas-Lok® Couplers
59 0801	Kit for 22 series Fas-Lok® Couplers
60 0801	Kit for 34300, 33305 Fas-Lok® Couplers
64 0801	Kit for 44305R, Wedge-Latch® Couplers
68-0801	Kit for 44150W & WQ, Wedge-Latch® Couplers



Bulldog, Coupler Repair Parts

PART NUMBER	DESCRIPTION
024200	Bulldog, Coupler Repair Kit




Bulldog, Coupler Repair Parts

PART NUMBER	DESCRIPTION
6256	D&L Class 1 1-7/8" Ball
6257	D&L Class 2 & 3 2" Ball

TRAILER JACK REPAIR PARTS

Side Wind Jack Cap Kits

PART NUMBER	DESCRIPTION
A80457	Small Cap fits 2000# Atwood Jacks
A80456	Large Cap fits 2000# Atwood Jacks
0917507-00	2" Dome w/ one Screw & one Tab



Atwood, Top Jack Handle

PART NUMBER	DESCRIPTION
A82700	Replacement Handle for all Top Wind Jacks



Atwood, Side Wind Jack Handle

PART NUMBER	DESCRIPTION
A80454	Repair Kit for Atwood 1000lbs. Side Wind Jacks Includes Cap, Handle and Gear Kit
A80455	Repair Kit for Atwood 2000lbs. Side Wind Jacks Includes Cap, Handle and Gear Kit

TRAILER JACK REPAIR PARTS



Bulldog, Crown Top Wind Jack Handle

PART NUMBER	DESCRIPTION
500180	Replacement Handle for Bulldog 2000lbs. & 5000lbs. Top Wind Jacks
500104	Replacement Handle for Bulldog & Crown 2000lbs. & 5000lbs. Top Wind Jacks
500148	Replacement Handle for Bulldog & Crown 7000lbs. Top Wind Jacks



Bulldog, Crown Side Wind Jack Handle

PART NUMBER	DESCRIPTION
500256	Bulldog, Repair Kit for 2000lbs.- 5000lbs Side Wind Jacks Includes Handle & Gear Kit (5.80" radius)
500171	Replacement Handle for Bulldog & Crown 7000lbs. Side Wind Jacks (9.00" radius)



Fulton Side Wind Jack Handle

PART NUMBER	DESCRIPTION
093301S00	Replacement Handle for 800lbs. & 1000lbs. Jacks
093305S00	Replacement Handle for 1200lbs. Jacks



SIDE WIND JACK GEAR KITS

PART NUMBER	DESCRIPTION
A80454	Atwood Repair Kit for 1000lbs. Side Wind Jacks Includes Cap, Handle and Gear Kit
A80455	Atwood Repair Kit for 2000lbs. Side Wind Jacks Includes Cap, Handle and Gear Kit
500256	Bulldog, Repair Kit for 2000lbs.- 5000lbs Side Wind Jacks Includes Handle & Gear Kit (5.80" radius)
500106	Bulldog, Side Wind Jack Gear Kit for 2000lbs. & 5000lbs. Jacks
500156	Bulldog, Side Wind Jack Gear Kit for 7000lbs. Jacks
0933302S00	Fulton Replacement Gear Kit 800lbs. & 1000lbs. Jacks
0933306S00	Fulton Replacement Gear Kit 1200lbs. Jacks



Swivel Bracket Plunger Pin

PART NUMBER	DESCRIPTION
500103	Bulldog - Crown, 3/8" Plunger Pin
1537S01	Fulton, 3/8" Plunger Pin
0933307S00	Fulton, 1/2" Plunger Pin



Swivel Bracket Pull Pin (Tubular Mount)

PART NUMBER	DESCRIPTION
A85719	Atwood, Pull Pin 13/16" x 4-1/2" w/ Chain & Hitch Pin
500231	Crown, Pull Pin 5/8" x 3-1/2" w/ chain & Drive Screw
500232	Crown, Pull Pin 5/8" x 4-1/4" w/ chain & Drive Screw




TRAILER JACK REPAIR PARTS

Replacement Drop Leg


PART NUMBER	DESCRIPTION
701472	Drop Leg Pull Pin

HYDRAULIC ACTUATOR REPAIR PARTS



Atwood, 2" Ball Actuator

PART NUMBER	DESCRIPTION
A85830	Shock Replacement Kit
A85841	Master Cylinder Replacement Kit
A87478	Cap Replacement Kit
A85842	Shoulder Bolt Replacement Kit
A85844	Release Handle Replacement Kit
A85849	Stop & Spring Replacement Kit
A85852	Push Rod Assembly Replacement Kit
A84258	Boot Replacement Kit
A18639	Conector Fitting




Titan, Model 60 Actuator Repair Parts

PART NUMBER	DESCRIPTION
23361	Master Cylinder
4480701	Master Cylinder Cap
43584	Lever Lock Coupler Repair Kit
40454	Mult-Fit Coupler Repair Kit
23362	Damper




Titan, Model 6 Actuator Repair Parts

PART NUMBER	DESCRIPTION
10271	Master Cylinder
17556	Master Cylinder Cap
1848700	Coupler Repair Kit
12426	



Titan, Model 10 Actuator Repair Parts

PART NUMBER	DESCRIPTION
23744	Master Cylinder
12503	Master Cylinder Cap
18487	Coupler Repair Kit
12426	Damper



Titan, Model 10 Actuator Repair Parts

PART NUMBER	DESCRIPTION
23744	Master Cylinder
12503	Master Cylinder Cap
18487	Coupler Repair Kit
7784	Damper