


### FENDERS



#### 1" Outside Radius 90 Degree Flange 16 Gauge

PART NO.	WIDTH	STRAIGHT LENGTH*	CURVED LENGTH*	HEIGHT*	WHEEL SIZE	AVAILABILITY
<b>Single</b>						
#2105	9"	32"	48"	15.25"	14-15"	S
#2108	10-3/4"	32"	50"	15.25"	14-15"	B
<b>Tandem Tear Drop</b>						
#2121	9"	66"	90"	19.5"	13-14"	S
#2122	9"	72"	96"	20.5"	14-15"	S / B

#### 1" Outside Radius 90 Degree Flange 16 Gauge with Fender Back Installed

<b>Single</b>						
#2105-12B	9"	32"	48"	15.25"	14-15"	S
<b>Tandem</b>						
#2112-B	9"	72"	96"	20.5"	14-15"	S
<b>Tandem Tear Drop</b>						
#2122-B	9"	72"	96"	20.5"	14-15"	S

#### 1" Outside Radius 90 Degree Flange 14 Gauge with Steel Tread Plate

<b>Tandem Tear Drop</b>						
#2122-T	9"	72"	96"	20.5"	14-15"	S
#2124-T	10-3/4"	72"	96"	20.5"	15-16"	S




#### 1" Outside Radius 90 Degree Flange .100 Aluminum Tread Plate

<b>Tandem Tear Drop</b>						
#2199-103AT	10"	72"	98"	20.5"	15-16"	S
#2199-130AT	10"	68"	98"	20.5"	15-16"	S
#2199-134AT	9"	72"	98"	20.5"	15-16"	S

\*Straight Length, Curved Length, and Height Measurements are  $\pm 1/2"$ . These are for reference only.



FENDERS, CONT.



**1.25" Radius Both Sides 14 Gauge**

PART NO.	WIDTH	STRAIGHT LENGTH*	CURVED LENGTH*	HEIGHT*	WHEEL SIZE	AVAILABILITY
<b>Single</b>						
630	6"	24"	30"	7.75"	8" & 12"	S / B
7530	7.5"	24"	30"	7.75"	8" & 12"	S / B
7539	7.5"	30"	39"	10.50"	13-14"	S / B
7548	7.5"	33"	48"	14.50"	14-15"	S / B
948	9"	33"	48"	14.50"	14-15"	S / B
1048**	10"	33"	48"	14.50"	14-15"	S / B
<b>Tandem</b>						
7566T	7.5"	66"	85.50"	17.50"	13-14"	S / B
968T	9"	68"	86.50"	16.50"	15"	S / B
1072T**	10"	72"	90"	17.00"	15-16-16.5"	S / B
<b>Triple</b>						
75102T	7.5"	102"	122"	16.50"	13-14"	S
9102T	9"	102"	122"	16.50"	15"	S / B

\*\*1" Radius on these fenders

**2" Outside Radius 90 Degree Flange 14 Gauge**

<b>Tandem Tear Drop</b>						
C-1T	10.75"	72"	96"	20.5"	15-16-16.5"	S

**Pre-Cut Fender Back**

#2712-72-18	Fender Back 12" High	Fits 72" Fender, 18 Gauge			S
-------------	----------------------	---------------------------	--	--	---

\*Straight Length, Curved Length, and Height Measurements are  $\pm 1/2"$ . These are for reference only.

### TRAILER WHEELS



#### HIGH SPEED TRAILER WHEELS

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
8x3.75"	DC8440	4x4.0	2.50"	910
8x3.75"	DC8545	5x4.5"	2.82"	910
8x7"	6926	4x4.0	2.50"	770
8x7"	6936	5x4.5"	2.82"	770
10x6"	15847	4x4.0	2.50"	1105
10x6"	15246	5x4.5"	2.82"	1105



#### CONVENTIONAL STEEL TRAILER WHEELS

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
15 x 6"	X40273	5x4.5"	2.77"	1750
15 x 6"	X45206	6x5.5"	3.67"	2600
16 x 6"	X45304	8x6.5"	4.88"	3500
16.5 x 6.75"	D17-154	8x6.5"	4.89"	3530



#### WHITE MODULAR STEEL WHEEL

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
12 x 4"	44163	4x4.0	2.84"	1100
12 x 4"	44165	5x4.5"	3.195"	1100
13 x 4.5"	91-3412	5x4.5"	3.195"	1468
14 x 6"	91-4612-E	5x4.5"	3.195"	1869
15 x 5"	91-5512-E	5x4.5"	3.195"	1870
15 x 5"	91-5550-E	5x5.0"	3.31"	1870
15 x 6"	91-5612-E	5x4.5"	3.195"	2579
15 x 6"	91-5650-E	5x5.0"	3.31"	2579
15 x 6"	91-5660-E	6x5.5"	4.25"	2600
16 x 6"	KH128700	6x5.5"	4.25"	3500
16 x 6"	91-7680-E	8x6.5"	5.12"	3750



#### CHROME MODULAR STEEL WHEEL

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
13 x 4.5"	19-2410CT	5x4.5"	3.195"	1480
14 x 6"	19-3410CT	5x4.5"	3.195"	1870
15 x 6"	19-4410CT	5x4.5"	3.195"	2150
15 x 6"	19-6410CT	6x5.5"	4.25"	2600
16 x 6"	19-6486CT	6x5.5"	4.25"	3000
16 x 6"	19-8486CT	8x6.5"	5.12"	3200



TRAILER WHEELS



**WHITE 8-SPOKE STEEL WHEEL**

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
12 x 4"	23983	4x4.0	2.84"	1100
12 x 4"	23969	5x4.5"	3.195"	1100
13 x 4.5"	80-3314T	4x4.0	2.80"	1250
13 x 4.5"	80-3324	5x4.5"	3.195"	1468
14 x 6"	80-4326T-E	5x4.5"	3.195"	1869
15 x 5"	80-5325T-E	5x4.5"	3.195"	1870
15 x 6"	80-5326T-E	5x4.5"	3.195"	2579
15 x 6"	80-5366T-E	6x5.5"	4.25"	2579
16 x 6"	80-6386T-E	8x6.5"	4.25"	3500



**CHROME 8-SPOKE STEEL WHEEL**

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
13 x 4.5"	81-3324C	5x4.5"	3.195"	1468
14 x 6"	81-4326C	5x4.5"	3.195"	1869
15 x 6"	81-5326CT	5x4.5"	3.195"	2579
15 x 6"	81-5366CT	6x5.5"	4.25"	2579
16 x 6"	81-6387C	8x6.5"	4.25"	3500



**ALUMINUM MODULAR WHEEL**

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
14 x 7"	8846012	5x4.5"	3.30"	1900
15 x 6"	8857012	5x4.5"	3.30"	2150
15 x 6"	8857060	6x5.5"	4.25"	2540
16 x 6"	8867080	8x6.5"	5.12"	3000
16 x 7"	167041	8x6.5"	5.15"	3750



**14.5 DEMOUNTABLE RIM**

Wheel Size	Part Number	Bolt Circle	Center Hole	Capacity
14.5 x 6"	45893	N/A	N/A	2600

**TRAILER WHEELS**

**OEM DUAL WHEELS**

Wheel Size	Part Number	Bolt Circle	Center Hole	Offset	Notes
16 x 6"	X45282	8x6.5"	4.88	5.00"	10K Axles with in & out coined mounting
16 x 6"	X45399	8x6.5"	4.88	5.35"	10K Axles with in & out coined mounting Can be used w/ LT235/85R16 Tires
16 x 6"	X45400	8x6.5"	4.75	5.35"	Dexter 10K & 12K Axles Can be used w/ LT235/85R16 Tires
16 x 6"	X45334	8x6.5"	4.88	5.35"	AK-KO / Hayes 10K & 12K Axles Can be used w/ LT235/85R16 Tires
16.5 x 6.75"	D17-157	8x6.5"	4.75	5.50"	Dexter 10K & 12K Axles



TRAILER TIRES

**SMALL TRAILER TIRES**



Size	Part Number	Ply	Capacity LBS.	Inflation P.S.I	Overall Diameter	Section Width
480-8	4808-B	4	590	60	16.7"	4.9"
570-8	5708-B	4	715	50	19.0"	6.0"
480-12	48012-B	4	780	60	20.5"	4.8"
	48012-C	6	990	60	20.5"	4.8"
530-12	53012-B	4	840	60	21.8"	5.4"
	53012-C	6	1045	60	21.8"	5.4"
18.5 x 8.5-8	1858-B	4	770	35	18.2"	8.3"
20.5 x 8.00-10	20510-B	4	905	35	20.3"	7.8"
	20510-C	6	1105	35	20.3"	7.8"
	20510-E	10	1535	35	20.3"	7.8"

**BIAS TRAILER TIRES**



ST175/80D13	T-B78-13C	6	1360	50	24.33"	7.32"
ST205/75D14	T-F78-14C	6	1760	50	26.50"	7.83"
ST205/75D15	T-F78-15C	6	1820	50	27.91"	8.03"
ST225/75D15	T-H78-15D	8	2540	65	29.02"	8.86"

**RADIAL TRAILER TIRES**



ST175/80R13	TST175-80R13C	6	1360	50	24.00"	7.00"
ST205/75R14	TST205-75R14C	6	1760	50	26.10"	8.00"
ST205/75R15	TST205-75R15C	6	1820	50	27.10"	8.00"
ST225.75R15	TST225-75R15D	8	2540	65	28.30"	8.80"
ST235/80R16	TST235-80R16E	10	3520	80	31.89"	9.37"

**TRAILER TIRE & WHEEL ASSEMBLIES**

**480 X 8" 4 PLY LOAD RANGE B, TIRE**

Assembly Number	Wheel Style	Bolt Pattern
DC8440WT	8 x 3.75" Plain Steel Wheel	4 x 4.0
DC8545WT	8 x 3.75" Plain Steel Wheel	5 x 4.5

**570 X 8" 4 PLY LOAD RANGE B, TIRE**

Assembly Number	Wheel Style	Bolt Pattern
5704WT-B	8 x 3.75" Plain Steel Wheel	4 x 4.0
5705WT-B	8 x 3.75" Plain Steel Wheel	5 x 4.5


**18.5 X 8.5 X 8" 4 PLY LOAD RANGE B, TIRE**

Assembly Number	Wheel Style	Bolt Pattern
6926WT-B	8 x 7" Plain Steel Wheel	4 x 4.0
6936WT-B	8 x 7" Plain Steel Wheel	5 x 4.5

**20.5 x 8.0 x 10 LOAD RANGE B, C & E TIRE**

Assembly Number	Wheel Style	Bolt Pattern
15847WT-B	10 x 6" Plain Steel Wheel	4 x 4.0
15847WT-C	10 x 6" Plain Steel Wheel	4 x 4.0
15246WT-B	10 x 6" Plain Steel Wheel	5 x 4.5
15246WT-C	10 x 6" Plain Steel Wheel	5 x 4.5
15246WT-E	10 x 6" Plain Steel Wheel	5 x 4.5


**480 X 12" 4 PLY LOAD RANGE B, TIRE**

Assembly Number	Wheel Style	Bolt Pattern
23983WT-B	12 x 4" White Spoke Wheel	4 x 4.0
23969WT-B	12 x 4" White Spoke Wheel	5 x 4.5
44163WT-B	12 x 4" White Mod Wheel	4 x 4.0
44165WT-B	12 x 4" White Mod Wheel	5 x 4.5

**480 X 12" 6 PLY LOAD RANGE C, TIRE**

Assembly Number	Wheel Style	Bolt Pattern
23983WT-C	12 x 4" White Spoke Wheel	4 x 4.0
23969WT-C	12 x 4" White Spoke Wheel	5 x 4.5
44163WT-C	12 x 4" White Mod Wheel	4 x 4.0
44165WT-C	12 x 4" White Mod Wheel	5 x 4.5

**530 X 12" 4 PLY LOAD RANGE B, TIRE**

Assembly Number	Wheel Style	Bolt Pattern
5304WT-B	12 x 4" White Spoke Wheel	4 x 4.0
5305WT-B	12 x 4" White Spoke Wheel	5 x 4.5
53041WT-B	12 x 4" White Mod Wheel	4 x 4.0
53051WT-B	12 x 4" White Mod Wheel	5 x 4.5

**530 X 12" 4 PLY LOAD RANGE C, TIRE**

Assembly Number	Wheel Style	Bolt Pattern
5304WT-C	12 x 4" White Spoke Wheel	4 x 4.0
5305WT-C	12 x 4" White Spoke Wheel	5 x 4.5
53041WT-C	12 x 4" White Mod Wheel	4 x 4.0
53051WT-C	12 x 4" White Mod Wheel	5 x 4.5



**TRAILER TIRE & WHEEL ASSEMBLIES**



**ST175/80D13" 6 PLY LOAD RANGE C, TIRE (BIAS)**

Assembly Number	Wheel Style	Bolt Pattern
13W34-C	13 x 4.5" White Spoke Wheel	4 x 4.0
13W14-C	13 x 4.5" White Spoke Wheel	5 x 4.5
13C14-C	13 x 4.5" Chrome Spoke Wheel	5 x 4.5
13W24-C	13 x 4.5" White Mod Wheel	5 x 4.5
13C24-C	13 x 4.5" Chrome Mod Wheel	5 x 4.5



**ST175/80R13" 6 PLY LOAD RANGE C, RADIAL TIRE**

Assembly Number	Wheel Style	Bolt Pattern
13W35-C	13 x 4.5" White Spoke Wheel	4 x 4.0
13W15-C	13 x 4.5" White Spoke Wheel	5 x 4.5
13C15-C	13 x 4.5" Chrome Spoke Wheel	5 x 4.5
13W25-C	13 x 4.5" White Mod Wheel	5 x 4.5
13C25-C	13 x 4.5" Chrome Mod Wheel	5 x 4.5



**ST205/75D14" 6 PLY LOAD RANGE C, TIRE (BIAS)**

Assembly Number	Wheel Style	Bolt Pattern
14EW15-C	14 x 6" White Spoke Wheel	5 x 4.5
14C15-C	14 x 6" Chrome Spoke Wheel	5 x 4.5
14EW25-C	14 x 6" White Mod Wheel	5 x 4.5
14C25-C	14 x 6" Chrome Mod Wheel	5 x 4.5
1455-C	14 x 6" Aluminum Mod Wheel	5 x 4.5



**ST205/75R14" 6 PLY LOAD RANGE C, RADIAL TIRE**

Assembly Number	Wheel Style	Bolt Pattern
14EW16-C	14 x 6" White Spoke Wheel	5 x 4.5
14C16-C	14 x 6" Chrome Spoke Wheel	5 x 4.5
14EW26-C	14 x 6" White Mod Wheel	5 x 4.5
14C26-C	14 x 6" Chrome Mod Wheel	5 x 4.5
1456-C	14 x 6" Aluminum Mod Wheel	5 x 4.5

**TRAILER TIRE & WHEEL ASSEMBLIES**

**ST205/75D15" 6 PLY LOAD RANGE C, TIRE (BIAS)**

Assembly Number	Wheel Style	Bolt Pattern
15EW01-C	15 x 5" White Spoke Wheel	5 x 4.5
15EW101-C	15 x 5" White Mod Wheel	5 x 4.5
15EW111-C	15 x 5" White Mod Wheel	5 x 5.0
15EW11-C	15 x 6" White Spoke Wheel	5 x 4.5
15C11-C	15 x 6" Chrome Spoke Wheel	5 x 4.5
15EW21-C	15 x 6" White Spoke Wheel	6 x 5.5
15C21-C	15 x 6" Chrome Spoke Wheel	6 x 5.5
15EW31-C	15 x 6" White Mod Wheel	5 x 4.5
15C31-C	15 x 6" Chrome Mod Wheel	5 x 4.5
1551-C	15 x 7" Aluminum Mod Wheel	5 x 4.5
15EW121-C	15 x 6" White Mod Wheel	5 X 5.0
15EW41-C	15 x 6" White Mod Wheel	6 x 5.5
15C41-C	15 x 6" Chrome Mod Wheel	6 x 5.5
1561-C	15 x 7" Aluminum Mod Wheel	6 x 5.5


**ST225/75D15" 8 PLY LOAD RANGE D, TIRE (BIAS)**

Assembly Number	Wheel Style	Bolt Pattern
15EW12-D	15 x 6" White Spoke Wheel	5 x 4.5
15C12-D	15 x 6" Chrome Spoke Wheel	5 x 4.5
15EW22-D	15 x 6" White Spoke Wheel	6 x 5.5
15C22-D	15 x 6" Chrome Spoke Wheel	6 x 5.5
15EW32-D	15 x 6" White Mod Wheel	5 x 4.5
15C32-D	15 x 6" Chrome Mod Wheel	5 x 4.5
1552-D	15 x 7" Aluminum Mod Wheel	5 x 4.5
15EW122-D	15 x 6" White Mod Wheel	5 X 5.0
15EW42-D	15 x 6" White Mod Wheel	6 x 5.5
15C42-D	15 x 6" Chrome Mod Wheel	6 x 5.5
1562-D	15 x 7" Aluminum Mod Wheel	6 x 5.5

TRAILER TIRE & WHEEL ASSEMBLIES

**ST205/75R15" 6 PLY LOAD RANGE C, RADIAL TIRE**



Assembly Number	Wheel Style	Bolt Pattern
15EW03-C	15 x 5" White Spoke Wheel	5 x 4.5
15EW103-C	15 x 5" White Mod Wheel	5 x 4.5
15EW113-C	15 x 5" White Mod Wheel	5 x 5.0
15EW13-C	15 x 6" White Spoke Wheel	5 x 4.5
15C13-C	15 x 6" Chrome Spoke Wheel	5 x 4.5
15EW23-C	15 x 6" White Spoke Wheel	6 x 5.5
15C23-C	15 x 6" Chrome Spoke Wheel	6 x 5.5
15EW33-C	15 x 6" White Mod Wheel	5 x 4.5
15C33-C	15 x 6" Chrome Mod Wheel	5 x 4.5
1553-C	15 x 7" Aluminum Mod Wheel	5 x 4.5
15EW123-C	15 x 6" White Mod Wheel	5 X 5.0
15EW43-C	15 x 6" White Mod Wheel	6 x 5.5
15C43-C	15 x 6" Chrome Mod Wheel	6 x 5.5
1563-C	15 x 7" Aluminum Mod Wheel	6 x 5.5

**ST225/75R154" 8 PLY LOADRANGE D, RADIAL TIRE**



Assembly Number	Wheel Style	Bolt Pattern
15EW14-D	15 x 6" White Spoke Wheel	5 x 4.5
15C14-D	15 x 6" Chrome Spoke Wheel	5 x 4.5
15EW24-D	15 x 6" White Spoke Wheel	6 x 5.5
15C24-D	15 x 6" Chrome Spoke Wheel	6 x 5.5
15EW34-D	15 x 6" White Mod Wheel	5 x 4.5
15C34-D	15 x 6" Chrome Mod Wheel	5 x 4.5
1554-D	15 x 7" Aluminum Mod Wheel	5 x 4.5
15EW124-D	15 x 6" White Mod Wheel	5 X 5.0
15EW44-D	15 x 6" White Mod Wheel	6 x 5.5
15C44-D	15 x 6" Chrome Mod Wheel	6 x 5.5
1564-D	15 x 7" Aluminum Mod Wheel	6 x 5.5

**ST235/80R16" 10 PLY LOAD RANGE E, RADIAL TIRE**



Assembly Number	Wheel Style	Bolt Pattern
16EW16-E	16 x 6 White Spoke Wheel	8 x 6.5
16EW26-E	16 x 6 White Mod Wheel	8 x 6.5
16C26-E	16 x 6 Chrome Mod Wheel	8 x 6.5
16EW96-E	16 x 6 White Mod Wheel	6 x 5.5
16C96-E	16 x 6 Chrome Mod Wheel	6 x 5.5
1666-E	16 x 6 OEM Steel Wheel	8 x 6.5
1646-E	16 x 6 Dual Wheel 4.88 Center	8 x 6.5
1676-E	16 x 6 Dual Wheel 4.75 Center	8 x 6.5
1636-E	16 x 7 Aluminum Mod Wheel	8 x 6.5

**TRAILER TIRE & WHEEL ASSEMBLIES**


**LT215/75R17.5 16 PLY LOAD RANGE H, RADIAL TIRE**

<b>Assembly Number</b>	<b>Wheel Style</b>	<b>Bolt Pattern</b>
1711-H	OEM Steel Wheel 4.75" Center Hole	8 x 6.5
1721-H	OEM Steel Wheel 4.88" Center Hole	8 x 6.5
1741-H	Aluminum Wheel, Stud Mount	8 x 6.5


" 215/75R17.5 LR Rated Capacity of




**CHROME ACORN NUTS,  
STAINLESS STEEL CAPPED ACORN NUT**



TYPE	THREAD SIZE	PART NO.
CHROME ACORN NUTS	7/16" R.H.	1002
13/16" HEX	1/2" R.H.	1404
	12mm x 1.25 R.H.	1006
	12mm x 1.50 R.H.	1007
	14mm x 1.50 R.H.	1009



DUPLEX CHROME	1/2" R.H.	3004
ACORN NUTS	9/16" R.H.	3010
7/8" HEX		



EXTRA LONG	9/16" R.H.	3210
DUPLEX CHROME	9/16" L.H.	3220
ACORN NUTS		
7/8" HEX		

**Other sizes available.  
See Henderson's Custom Wheel Catalog.**

**CONVERSION STUDS**




Many automobiles, trucks and trailers have no studs on them. They have a tapped surface and a wheel bolt that screws into the surface. This creates a problem if custom wheels are put on. In order to use custom wheel nuts, it is necessary to have a stud. By screwing these studs into the tapped surface, a threaded surface comes out on the other end. An allen wrench secures these studs in place.

PART NO.	DESCRIPTION
944	1/2"-20 R.H. TO 1/2"-20 R.H.
947	12m x 1.50 TO 12m x 1.50
950	14m x 1.5 TO 1/2"-20 R.H.




### CENTER CAPS



### CENTER CAPS

Part#	Diameter	Lug	Description	Height	Type
115	2.95	4 Lug	4¼", 100mm, 4½" B.C.	3.16"	Closed
117EZ-60C	2.95	4 Lug	4½" - 5" B.C.	3.50"	X-tra Lube, W/ Chrome End Cap
100	3.18	5 Lug	4½" - 5" B.C.	3.37"	Closed
106EZ-60C	3.18	5 Lug	4½" - 5" B.C.	3.60"	X-tra Lube, W/ Chrome End Cap
101	3.28	5 Lug	4½" - 5" B.C.	3.38"	Closed
120	3.28	5 Lug	4½" - 5" B.C.	4.00"	Open
120EZ-60C	3.28	5 Lug	4½" - 5" B.C.	3.50"	X-tra Lube, W/ Chrome End Cap
102	4.25	5 & 6 Lug	5½" B.C.	4.12"	Closed
104	4.25	5 & 6 Lug	5½" B.C.	4.12"	Open
104EZ-60C	4.25	5 & 6 Lug	5½" B.C.	4.12"	X-tra Lube, W/ Chrome End Cap
96	4.90	8 Lug	6½" B.C.	6.23	Closed
105EZ-60C	4.90	8 Lug	6½" B.C.	4.82"	X-tra Lube, W/ Chrome End Cap
111	5.12	8 Lug	6½" B.C.- Short	4.86"	Closed
111SS	5.12	8 Lug	6½" B.C.- Short	4.86"	Closed - Stainless Steel
112	5.12	8 Lug	6½" B.C.	4.86"	Open
112SS	5.12	8 Lug	6½" B.C.	4.86"	Closed - Stainless Steel
139	5.12	8 Lug	6½" B.C. - Tall	6.33	Closed
139SS	5.12	8 Lug	6½" B.C. - Tall	6.33	Closed - Stainless Steel
112EZ-60C	5.12	8 Lug	6½" B.C.	4.86"	X-tra Lube, W/ Chrome End Cap

**CHROME VALVE STEMS**



- Fits both small (.453") and large (.625") valve holes.
- Not for use on aluminum base chrome wheels.

PART NUMBER	LENGTH	PACKAGE UNIT
EZHPC-125F	1-1/4"	1 per Card


**TUBELESS SNAP-IN TIRE VALVES**



**Small Hole Rubber Valve Stems: .453" Diameter Valve Holes**

PART NUMBER	MARKING NUMBER	LENGTH	PACKAGE UNIT
TR-413-500	TR413	1-1/4"	500 per Box **
TR-414-500	TR414	1-1/2"	500 per Box **
TR-418-500	TR418	2"	500 per Box **
TR-423-500	TR423	2-1/2"	500 per Box **
TR-600-HP	TR600	1-1/2"	500 per Box **

\*\* Can be purchased separately.



**Large Hole Rubber Valve Stems: .625" Diameter Valve Holes**

PART NUMBER	MARKING NUMBER	LENGTH	PACKAGE UNIT
TR-415-500	TR415	1-1/4"	500 per Box **
TR-425-500	TR425	2"	500 per Box **

\*\* Can be purchased separately.